

## **REFERENCES**

### **X-5038**

1. Alsoof D, Anderson G, McDonald CL, et al. Diagnosis and Management of Vertebral CompressionFracture. Am J Med. Jul 2022; 135(7): 815-821. PMID 35307360
2. Jarvik JG, Deyo RA. Cementing the evidence: time for a randomized trial of vertebroplasty. AJNR Am JNeuroradiol. Sep 2000; 21(8): 1373-4. PMID 11003266
3. Moerman DE, Jonas WB. Deconstructing the placebo effect and finding the meaning response. AnnIntern Med. Mar 19 2002; 136(6): 471-6. PMID 11900500
4. Hróbjartsson A, Gøtzsche PC. Is the placebo powerless? An analysis of clinical trials comparing placebo with no treatment. N Engl J Med. May 24 2001; 344(21): 1594-602. PMID 11372012
5. Vase L, Riley JL, Price DD. A comparison of placebo effects in clinical analgesic trials versus studies ofplacebo analgesia. Pain. Oct 2002; 99(3): 443-452. PMID 12406519
6. Buchbinder R, Osborne RH, Ebeling PR, et al. A randomized trial of vertebroplasty for painfulosteoporotic vertebral fractures. N Engl J Med. Aug 06 2009; 361(6): 557-68. PMID 19657121
7. Kallmes DF, Comstock BA, Heagerty PJ, et al. A randomized trial of vertebroplasty for osteoporoticspinal fractures. N Engl J Med. Aug 06 2009; 361(6): 569-79. PMID 19657122
8. Chou R, Fu R, Dana T, et al. Interventional treatments for acute and chronic pain: systematic review[Internet]. AHRQ Comparative Effectiveness Reviews. Rockville (MD): Agency for Healthcare Researchand Quality; 2021 Sep. Report No.: 21-EHC030

9. Zhao S, Xu CY, Zhu AR, et al. Comparison of the efficacy and safety of 3 treatments for patients with osteoporotic vertebral compression fractures: A network meta-analysis. *Medicine (Baltimore)*. Jun 2017;96(26): e7328. PMID 28658144
10. Hinde K, Maingard J, Hirsch JA, et al. Mortality Outcomes of Vertebral Augmentation (Vertebroplasty and/or Balloon Kyphoplasty) for Osteoporotic Vertebral Compression Fractures: A Systematic Review and Meta-Analysis. *Radiology*. Apr 2020; 295(1): 96-103. PMID 32068503
11. Sun HB, Jing XS, Tang H, et al. Clinical and radiological subsequent fractures after vertebral augmentation for treating osteoporotic vertebral compression fractures: a meta-analysis. *Eur Spine J*. Oct 2020; 29(10): 2576-2590. PMID 32776263
12. Halvachizadeh S, Stalder AL, Bellut D, et al. Systematic Review and Meta-Analysis of 3 Treatment Arms for Vertebral Compression Fractures: A Comparison of Improvement in Pain, Adjacent-Level Fractures, and Quality of Life Between Vertebroplasty, Kyphoplasty, and Nonoperative Management. *JBJS Rev*. Oct 25 2021; 9(10). PMID 34695056
13. Edidin AA, Ong KL, Lau E, et al. Mortality risk for operated and nonoperated vertebral fracture patients in the medicare population. *J Bone Miner Res*. Jul 2011; 26(7): 1617-26. PMID 21308780
14. Ong KL, Beall DP, Frohbergh M, et al. Were VCF patients at higher risk of mortality following the 2009 publication of the vertebroplasty "sham" trials?. *Osteoporos Int*. Feb 2018; 29(2): 375-383. PMID 29063215
15. Wardlaw D, Cummings SR, Van Meirhaeghe J, et al. Efficacy and safety of balloon kyphoplasty compared with non-surgical care for vertebral compression fracture (FREE): a randomised controlled trial. *Lancet*. Mar 21 2009; 373(9668): 1016-24. PMID 19246088
16. Boonen S, Van Meirhaeghe J, Bastian L, et al. Balloon kyphoplasty for the

treatment of acute vertebralcompression fractures: 2-year results from a randomized trial. J Bone Miner Res. Jul 2011; 26(7): 1627-37. PMID 21337428

17. Van Meirhaeghe J, Bastian L, Boonen S, et al. A randomized trial of balloon kyphoplasty andnonsurgical management for treating acute vertebral compression fractures: vertebral body kyphosiscorrection and surgical parameters. Spine (Phila Pa 1976). May 20 2013; 38(12): 971-83. PMID23446769
18. Tutton SM, Pflugmacher R, Davidian M, et al. KAST Study: The Kiva System As a VertebralAugmentation Treatment-A Safety and Effectiveness Trial: A Randomized, Noninferiority TrialComparing the Kiva System With Balloon Kyphoplasty in Treatment of Osteoporotic VertebralCompression Fractures. Spine (Phila Pa 1976). Jun 15 2015; 40(12): 865-75. PMID 25822543
19. Korovessis P, Vardakastanis K, Repantis T, et al. Balloon kyphoplasty versus KIVA vertebralaugmentation--comparison of 2 techniques for osteoporotic vertebral body fractures: a prospectiverandomized study. Spine (Phila Pa 1976). Feb 15 2013; 38(4): 292-9. PMID 23407406
20. Noriega D, Marcia S, Theumann N, et al. A prospective, international, randomized, noninferiority studycomparing an implantable titanium vertebral augmentation device versus balloon kyphoplasty in the reduction of vertebral compression fractures (SAKOS study). Spine J. Nov 2019; 19(11): 1782-1795.PMID 31325625
21. Pron G, Holubowich C, Kaulback K. Vertebral Augmentation Involving Vertebroplasty or Kyphoplasty forCancer-Related Vertebral Compression Fractures: A Systematic Review. Ont Health Technol AssessSer. 2016; 16(11): 1-202. PMID 27298655
22. Mattie R, Brar N, Tram JT, et al. Vertebral Augmentation of Cancer-Related Spinal CompressionFractures: A Systematic Review and Meta-Analysis. Spine (Phila Pa 1976). Dec 15 2021; 46(24): 1729-1737. PMID 33958537
23. Berenson J, Pflugmacher R, Jarzem P, et al. Balloon kyphoplasty versus non-

surgical fracturemanagement for treatment of painful vertebral body compression fractures in patients with cancer: amulticentre, randomised controlled trial. Lancet Oncol. Mar 2011; 12(3): 225-35. PMID 21333599

24. Korovessis P, Vardakastanis K, Vitsas V, et al. Is Kiva implant advantageous to balloon kyphoplasty in treating osteolytic metastasis to the spine? Comparison of 2 percutaneous minimal invasive spinetchniques: a prospective randomized controlled short-term study. Spine (Phila Pa 1976). Feb 15 2014;39(4): E231-9. PMID 24253785
25. Feng L, Shen JM, Feng C, et al. Comparison of radiofrequency kyphoplasty (RFK) and balloonkyphoplasty (BKP) in the treatment of vertebral compression fractures: A meta-analysis. Medicine(Baltimore). Jun 2017; 96(25): e7150. PMID 28640091
26. Petersen A, Hartwig E, Koch EM, et al. Clinical comparison of postoperative results of balloonkyphoplasty (BKP) versus radiofrequency-targeted vertebral augmentation (RF-TVA): a prospectiveclinical study. Eur J Orthop Surg Traumatol. Jan 2016; 26(1): 67-75. PMID 26482590
27. Yi X, Lu H, Tian F, et al. Recompression in new levels after percutaneous vertebroplasty andkyphoplasty compared with conservative treatment. Arch Orthop Trauma Surg. Jan 2014; 134(1): 21-30.PMID 24287674
28. Baerlocher MO, Saad WE, Dariushnia S, et al. Quality improvement guidelines for percutaneousvertebroplasty. J Vasc Interv Radiol. Feb 2014; 25(2): 165-70. PMID 24238815
29. ACR-ASNR-ASSR-SIR-SNIS Practice Parameter for the Performance of Vertebral Augmentation.Available at <https://www.acr.org/-/media/ACR/Files/Practice-Parameters/VerebralAug.pdf>. AccessedFebruary 16, 2023.
30. National Institute for Health and Care Excellence (NICE). Percutaneous vertebroplasty andpercutaneous balloon kyphoplasty for treating osteoporotic vertebral compression fractures [TA279].2013;  
<https://www.nice.org.uk/guidance/ta279>. Accessed February 17, 2023.

31. National Institute for Health and Care Excellence (NICE). Metastatic spinal cord compression in adults:risk assessment, diagnosis and management [CG75].  
2008;<https://www.nice.org.uk/guidance/cg75/chapter/1- Guidance>. Accessed February 16, 2023.