

References

6.01.38

1. Blue Cross Blue Shield Association Technology Evaluation Center (TEC). Percutaneous kyphoplasty for vertebral fractures caused by osteoporosis and malignancy. TEC Assessments. 2004;Volume 19:Tab 12.
2. Blue Cross Blue Shield Association Technology Evaluation Center (TEC). Percutaneous kyphoplasty for vertebral fractures caused by osteoporosis or malignancy. TEC Assessments. 2005;Volume 20:Tab 7.
3. Blue Cross Blue Shield Association Technology Evaluation Center (TEC). Percutaneous vertebroplasty or kyphoplasty for vertebral fractures caused by osteoporosis or malignancy. TEC Assessments. 2008;Volume 23:Tab 5.
4. Blue Cross Blue Shield Association Technology Evaluation Center (TEC). Percutaneous vertebroplasty or kyphoplasty for vertebral fractures caused by osteoporosis. TEC Assessments. 2009;Volume 24:Tab 7.
5. Blue Cross Blue Shield Association Technology Evaluation Center (TEC). Percutaneous vertebroplasty or kyphoplasty for vertebral fractures caused by osteoporosis. TEC Assessments. 2010;Volume 25:Tab 9.
6. Jarvik JG, Deyo RA. Cementing the evidence: time for a randomized trial of vertebroplasty. *AJNR Am J Neuroradiol.* Sep 2000;21(8):1373-1374. PMID 11003266.
7. Moerman DE, Jonas WB. Deconstructing the placebo effect and finding the meaning response. *Ann Intern Med.* Mar 19 2002;136(6):471-476. PMID 11900500.
8. Hrobjartsson A, Gotzsche PC. Is the placebo powerless? An analysis of clinical trials comparing placebo with no treatment. *N Engl J Med.* May 24 2001;344(21):1594-1602. PMID 11372012.
9. Vase L, Riley JL, 3rd, Price DD. A comparison of placebo effects in clinical analgesic trials versus studies of placebo analgesia. *Pain.* Oct 2002;99(3):443-452. PMID 12406519.
10. Buchbinder R, Osborne RH, Ebeling PR, et al. A randomized trial of vertebroplasty for painful osteoporotic vertebral fractures. *N Engl J Med.* Aug 6 2009;361(6):557-568. PMID 19657121.
11. Kallmes DF, Comstock BA, Heagerty PJ, et al. A randomized trial of vertebroplasty for osteoporotic spinal fractures. *N Engl J Med.* Aug 6 2009;361(6):569-579. PMID 19657122.

12. Wardlaw D, Cummings SR, Van Meirhaeghe J, et al. Efficacy and safety of balloon kyphoplasty compared with non-surgical care for vertebral compression fracture (FREE): a randomised controlled trial. *Lancet*. Mar 21 2009;373(9668):1016-1024. PMID 19246088.
13. Boonen S, Van Meirhaeghe J, Bastian L, et al. Balloon kyphoplasty for the treatment of acute vertebral compression fractures: 2-year results from a randomized trial. *J Bone Miner Res*. Jul 2011;26(7):1627-1637. PMID 21337428.
14. Van Meirhaeghe J, Bastian L, Boonen S, et al. A randomized trial of balloon kyphoplasty and nonsurgical management for treating acute vertebral compression fractures: vertebral body kyphosis correction and surgical parameters. *Spine (Phila Pa 1976)*. May 20 2013;38(12):971-983. PMID 23446769.
15. Edidin AA, Ong KL, Lau E, et al. Mortality risk for operated and nonoperated vertebral fracture patients in the Medicare population. *J Bone Miner Res*. Jul 2011;26(7):1617-1626. PMID 21308780.
16. Xiang GH, Tong MJ, Lou C, et al. The Role of Unilateral Balloon Kyphoplasty for the Treatment of Patients with OVCFS: A Systematic Review and Meta-Analysis. *Pain Physician*. 2018 May;21(3):209-218. PMID: 29871365.
17. Wang B, Zhao CP, Song LX et al. Balloon kyphoplasty versus percutaneous vertebroplasty for osteoporotic vertebral compression fracture: a meta-analysis and systematic review. *J Orthop Surg Res*. 2018 Oct 22;13(1):264. PMID: 30348192.
18. Chang X, Lv YF, Chen B, et al. Vertebroplasty versus kyphoplasty in osteoporotic vertebral compression fracture: a meta-analysis of prospective comparative studies. *Int Orthop*. Mar 2015;39(3):491-500. PMID 25260399.
19. Zhao S, Xu CY, Zhu AR, et al. Comparison of the efficacy and safety of 3 treatments for patients with osteoporotic vertebral compression fractures: A network meta-analysis. *Medicine (Baltimore)*. Jun 2017;96(26):e7328. PMID 28658144.
20. Tutton SM, Pflugmacher R, Davidian M, et al. KAST Study: The Kiva System as a vertebral augmentation treatment-a safety and effectiveness trial: a randomized, noninferiority trial comparing the Kiva System with balloon kyphoplasty in treatment of osteoporotic vertebral compression fractures. *Spine (Phila Pa 1976)*. Jun 15 2015;40(12):865-875. PMID 25822543.
21. Korovessis P, Vardakastanis K, Repantis T, et al. Balloon kyphoplasty versus KIVA Vertebral augmentation- comparison of 2 techniques for osteoporotic vertebral body fractures: a prospective randomized study. *Spine (Phila Pa 1976)*. Feb 15 2013;38(4):292-299. PMID 23407406.
22. Health Quality Ontario. Vertebral augmentation involving vertebroplasty or kyphoplasty for cancer-related vertebral compression fractures: a systematic review. *Ont Health Technol Assess Ser*. May 1 2016;16(11):1-202. PMID 27298655.

23. Berenson J, Pflugmacher R, Jarzem P, et al. Balloon kyphoplasty versus non-surgical fracture management for treatment of painful vertebral body compression fractures in patients with cancer: a multicentre, randomised controlled trial. *Lancet Oncol.* Mar 2011;12(3):225-235. PMID 21333599.
24. Petersen A, Hartwig E, Koch EM, et al. Clinical comparison of postoperative results of balloon kyphoplasty (BKP) versus radiofrequency-targeted vertebral augmentation (RF-TVA): a prospective clinical study. *Eur J Orthop Surg Traumatol.* Jan 2016;26(1):67-75. PMID 26482590.
25. Feng L, Shen JM, Feng C, et al. Comparison of radiofrequency kyphoplasty (RFK) and balloon kyphoplasty (BKP) in the treatment of vertebral compression fractures: A meta-analysis. *Medicine (Baltimore).* Jun 2017;96(25):e7150. PMID 28640091.
26. Yi X, Lu H, Tian F, et al. Recompression in new levels after percutaneous vertebroplasty and kyphoplasty compared with conservative treatment. *Arch Orthop Trauma Surg.* Jan 2014;134(1):21-30. PMID 24287674.
27. Baerlocher MO, Saad WE, Dariushnia S, et al. Quality improvement guidelines for percutaneous vertebroplasty. *J Vasc Interv Radiol.* Feb 2014;25(2):165-170. PMID 24238815.
28. American Academy of Orthopaedic Surgeons (AAOS). The treatment of symptomatic osteoporotic spinal compression fractures: Guideline and evidence report. 2010; <http://www.aaos.org/research/guidelines/SCFguideline.pdf>. Accessed March 26, 2018.
29. National Institute for Health and Care Excellence (NICE). Percutaneous vertebroplasty and percutaneous balloon kyphoplasty for treating osteoporotic vertebral compression fractures [TA279]. 2013; <https://www.nice.org.uk/guidance/ta279>. Accessed March 26, 2018.
30. National Institute for Health and Care Excellence (NICE). Metastatic spinal cord compression in adults: risk assessment, diagnosis and management [CG75]. 2014; <https://www.nice.org.uk/guidance/cg75/chapter/1-Guidance>. Accessed March 26, 2018.