

## References

S-67

1. Deocampo J, Smith G, Kronenberger W, et al. The role of statistical learning in understanding and treating spoken language outcomes in deaf children with cochlear implants. *Lang Speech Hear Serv Sch*. 2018;49:723-739.
2. Food and Drug Administration. Summary of Safety and Effectiveness Data (SSED): Nucleus 24 Cochlear Implant System (P970051/S172). 2020;  
[https://www.accessdata.fda.gov/cdrh\\_docs/pdf/P970051S172B.pdf](https://www.accessdata.fda.gov/cdrh_docs/pdf/P970051S172B.pdf). Accessed January 2, 2022.
3. Lyu J, Kong Y, Xu TQ, et al. Long-term follow-up of auditory performance and speech perception and effects of age on cochlear implantation in children with pre-lingual deafness. *Chin Med J (Engl)*. 2019;132(16): 1925-1934.
4. Karltorp E, Eklof M, Ostlund E, et al. Cochlear implants before 9 months of age led to more natural spoken language development without increased surgical risks. *Acta Paediatr*. 2020; 109(2): 332-341.
5. Benchetrit L, Ronner EA, Anne S, et al. Cochlear implantation in children with single-sided deafness: A systematic review and meta-analysis. *JAMA Otolaryngol Head Neck Surg*. 2021; 147(1):58-69.
6. Marx M, Mosnier I, Venail F, et al. Cochlear implantation and other treatments in single-sided deafness and asymmetric hearing loss: Results of a national multicenter study including a randomized controlled trial. *Audiol Neurootol*. 2021;26(6):414-424.
7. Peters JPM, van Heteren JAA, Wendrich AW, et al. Short-term outcomes of cochlear implantation for single-sided deafness compared to bone conduction devices and contralateral routing of sound hearing aids-Results of a randomised controlled trial (CINGLE-tril). *PLoS One*. 2021; 16(10): e0257447.
8. Buss E, Dillon MT, Rooth MA, et al. Effects of cochlear implantation on binaural hearing in adults with unilateral hearing loss. *Trends Hear*. 2018;22:2331216518771173.
9. Dillon MT, Buss E, O'Connell BP, et al. Low-frequency hearing preservation with long electrode arrays: inclusion of unaided hearing threshold assessment in the postoperative test battery. *Am J Audiol*. 2020;29(1):1-5.

10. Galvin JJ, Fu QJ, Wilkinson EP, et al. Benefits of cochlear implantation for single-sided deafness: Data from the house clinic-University of Southern California-University of California, Los Angeles Clinical Trial. *Ear Hear.* 2019;40(4):766-781.
11. Peter N, Kleinjung T, Probst R, et al. Cochlear implants in single-sided deafness - clinical results of a Swiss multicentre study. *Swiss Med Wkly.* 2019;149: w20171.
12. Poncet-Wallet C, Mamelie E, Godey B, et al. Prospective multicentric follow-up study of cochlear implantation in adults with single-sided deafness: Tinnitus and audiological outcomes. *Otol Neurotol.*
13. Dillon MT, Buss E, Rooth MA, et al. Cochlear implantation in cases of asymmetric hearing loss: subjective benefit, word recognition, and spatial hearing. *Trends Hear.* 2020;24: 2331216520945524.
14. Food and Drug Administration. Summary of Safety and Effectiveness Data (SSED): MED-EL Cochlear Implant System (P000025/S104). 2019; [https://www.accessdata.fda.gov/cdrh\\_docs/pdf/P000025S104B.pdf](https://www.accessdata.fda.gov/cdrh_docs/pdf/P000025S104B.pdf). Accessed January 3, 2022.
15. Food and Drug Administration. Post-Approval Studies (PAS): MED-EL New Enrollment SSD/AHL Study. 2020; [https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpma/pma\\_pas.cfm?t\\_id=647845&c\\_id=5585](https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfpma/pma_pas.cfm?t_id=647845&c_id=5585). Accessed on January 4, 2022.
16. Pillsbury HC, Dillon MT, Buchman CA, et al. Multicenter US clinical trial with an electric-acoustic stimulation (eas) system in adults: Final outcomes. *Otol Neurotol.* 2018;39(3):299-305. PMID 29342054
17. Roland JT, Gantz BJ, Waltzman SB, et al. Long-term outcomes of cochlear implantation in patients with high-frequency hearing loss. *Laryngoscope.* 2018;128(8):1939-1945.
18. American Academy of Otolaryngology -- Head and Neck Surgery. Position Statement: Cochlear Implants. November 10, 2020; <https://www.entnet.org/resource/position-statement-cochlear-implants/>. Accessed January 7, 2022.
19. National Institute for Health and Care Excellence (NICE). Cochlear implants for children and adults with severe to profound deafness [TA566]. 2019; <https://www.nice.org.uk/guidance/ta566/>. Accessed January 7, 2022.
20. Baron S, Blanchard M, Parodi M, et. al. Sequential bilateral cochlear implants in children and adolescents: Outcomes and prognostic factors. *Eur Ann Otorhinolaryngol Head Neck Dis.* 2019;136(2):69-73.

21. Borges ALF, Duarte PLES, Almeida RBSet. AI. Cochlear implant and tinnitus-a meta-analysis. *Braz J Otorhinolaryngol.* 2021;87(3):353-365.
22. American Academy of Otolaryngology -- Head and Neck Surgery. Position Statement: Cochlear Implants. November 10, 2020; <https://www.entnet.org/resource/position-statement-cochlear-implants/>. Accessed October 25, 2022.
23. National Institute for Health and Care Excellence (NICE). Cochlear Implants for Children and Adults With Severe to Profound Deafness [TA566]. 2019; <https://www.nice.org.uk/guidance/ta566/>. Accessed October 25,2022.