

## References

### E-47

1. Marston W, Armstrong D, Reyzelman A, et al. Multicenter randomized controlled trial comparing treatment of venous leg ulcers using mechanically versus electrically powered negative pressure wound therapy. *Adv Wound Care (New Rochelle)*. 2015;4(2):75-82.
2. Garwood C. What's new in wound treatment: a critical appraisal. *Diabetes/Metabolism Res Rev*. 2016;32:268-274.
3. Qaseem A, Humphrey LL, Forcica MA, et al. Treatment of pressure ulcers: a clinical practice guideline from the American College of Physicians. *Ann Intern Med*. 2015;162(5):370-379.
4. National Institute for Health and Care Excellence (NICE). Diabetic Foot Problems: Prevention and Management. 2016.
5. Hayes Directory. *Negative Pressure Wound Therapy for Chronic Wounds: Home Use*. Lansdale PA: Hayes, Inc. December 2016, Update December 2018. Accessed 2/4/2019.
6. Nherera L, Trueman P, Schmoeckel M, Fatoye F. Cost-effectiveness analysis of single use negative pressure wound therapy dressings (sNPWT) compared to standard of care in reducing surgical site complications (SSC) in patients undergoing coronary artery bypass grafting surgery. *J of Cardiothorac Surg*. 2018;13:103.
7. Costa M, Achten J, Bruce J, et al. Effect of Negative Pressure Wound Therapy vs Standard Wound Management on 12-month Disability Among Adults With Severe Open Fracture of the Lower Limb. The WOLFF Randomized Clinical Trial. *JAMA*. 2018;319(22):2280-2288.
8. Hayes, Inc. Hayes Health Technology Assessment. Negative Pressure Wound therapy For Chronic Wounds: Home use. Lansdale, PA: Hayes, Inc.; Published December 15, 2016, Annual Review December 12, 2018. Accessed March 23, 2020.
9. Hyldig N, Birke-Sorensen H, Kruse M, et al. Meta-analysis of negative-pressure wound therapy for closed surgical incisions. *Brit J Surg*. 2016;1003(5):477-486.

10. Nam JH, Park ES, Kim SH. The Utility of Disposable Negative Pressure Wound Therapy (PICO) in Wound Healing of Latissimus Dorsi Musculocutaneous Flap Donor Sites. *J Wound Manage* .2020;16(1): 21-25.
11. Hayes, Inc. Hayes Evidence Analysis Research Brief. *PICO Single Use Negative Pressure Wound therapy System (Smith & Nephew) for Clean Surgical Incisions*. Landsdale, PA: Hayes May 5, 2020.
12. Kirsner R, Dove C, Reyzelman A, Vayser D, Jaimes H. A prospective, randomized, controlled clinical trial on the efficacy of a single use negative pressure wound therapy system, compared to the traditional negative pressure wound therapy in the treatment of chronic ulcers of the lower extremities. *Wound Rep Reg*. 2019; 27:519-529.
13. Hayes, Inc. Hayes Technology Assessment. *Prophylactic Negative Pressure Wound Therapy in Elective Open Abdominal Surgeries-Executive Summary*. Landsdale, PA: Hayes. Feb 4, 2021, amended Apr 12, 2021.