

References

S-157

1. Sun J, Gao F, Wang Y, et al. Extracorporeal shock wave therapy is effective in treating chronic plantar fasciitis. *Medicine (Baltimore)*. 2017; 96(15): e6621.
2. Vulpiani MC, Nusca SM, Vetrano M, et al. Extracorporeal shock wave therapy vs cryoultrasound therapy in the treatment of chronic lateral epicondylitis. One year follow up study. *Muscles Ligaments Tendons J*. 2015; 5(3):167-174.
3. American Orthopaedic Foot & Ankle Society. Extracorporeal Shock Wave Therapy. 2017.
4. Kertzman P, Császár N, Furia J, Schmitz C. Radial extracorporeal shock wave therapy is efficient and safe in the treatment of fracture non unions of superficial bones: A retrospective case series. *J Orthop Surg Res*. 2017;12(1):164
5. Malliaropoulos N, Thompson D, Lohrer H, et al. Individualised radial extracorporeal shock wave therapy (rESWT) for symptomatic calcific shoulder tendinopathy: A retrospective clinical study. *BMC Musculoskelet Disord*. 2017;18(1):513.
6. Notarnicola A, Maccagnano G, Moretti B, et al. Prognostic factors of extracorporeal shock wave therapy for tendinopathies. *Musculoskelet Surg*. 2016;100(1):53-61.
7. Liao C-D, Xie G-M, Tsao J-Y, et.al. Efficacy of extracorporeal shock wave therapy for knee tendinopathies and other soft tissue disorders: A meta-analysis of randomized controlled trials. *BMC Musculoskelet Disord*. 2018;19(1):278.
8. National Institute for Health and Care Excellence (NICE). Extracorporeal shockwave therapy for Achilles tendinopathy [IPG571]. 2016; <https://www.nice.org.uk/guidance/ipg571>. Accessed July 30, 2020.
9. Ibrahim MI, Donatelli RA, Hellman M, Hussein AZ, Furia JP, Schmitz C. Long-term results of radial extracorporeal shock wave treatment for chronic plantar fasciopathy: A prospective, randomized, placebo-controlled trial with two years follow- *J Orthop Res*. 2017;35(7):1532-8.
10. Eslamian F, Shakouri SK, Jahanjoo F, et al. Extra corporeal shock wave therapy versus local corticosteroid injection in the treatment of chronic plantar fasciitis, a single blinded randomized clinical trial. *Pain Med*. 2016;17(9):1722-1731.
11. Lai TW, Ma HL, Lee MS, Chen PM, Ku MC. Ultrasonography and clinical outcome comparison of extracorporeal shock wave therapy and corticosteroid injections for chronic plantar fasciitis: a randomized controlled trial. *J Musculoskelet Neuronal Interact*. 2018;18(1):47.

12. Lizi P. Analgesic effect of extracorporeal shock wave therapy versus ultrasound therapy in chronic tennis elbow. *J Phys Ther Sci.* 2015;27(8):2563-2567.
13. Alessio-Mazzola M, Repetto I, Biti B, et al. Autologous US-guided PRP injection versus US-guided focal extracorporeal shock wave therapy for chronic lateral epicondylitis: a minimum of 2-year follow-up retrospective comparative study. *J Orthop Surg.* 2018;26(1):2309499017749986.
14. Wu Z, Yao W, Chen S, et al. Outcome of extracorporeal shock wave therapy for insertional Achilles tendinopathy with and without Haglund's deformity. *Biomed Res Int.* 2016;2016:6315846.
15. Li S, Wang K, Sun H, et al. Clinical effects of extracorporeal shock-wave therapy and ultrasound-guided local corticosteroid injections for plantar fasciitis in adults: A meta-analysis of randomized controlled trials. *Medicine.* 2018;97(50).
16. Williams HL, Jones SA, Lyons C, Wilson C, Ghandour A. Refractory patella tendinopathy with failed conservative treatment—shock wave or arthroscopy? *J Orthop Surg.* 2017;25(1):2309499016684700.
17. Liao CD, Xie GM, Tsauo JY, Chen HC, Liou TH. Efficacy of extracorporeal shock wave therapy for knee tendinopathies and other soft tissue disorders: a meta-analysis of randomized controlled trials. *BMC Musculoskelet Disord.* 2018;19(1):278.
18. Zhang Q, Liu L, Sun W, Gao F, Cheng L, Li Z. Extracorporeal shockwave therapy in osteonecrosis of femoral head: a systematic review of now available clinical evidences. *Medicine.* 2017;96(4).
19. Han Y, Lee JK, Lee BY, Kee HS, Jung KI, Yoon SR. Effectiveness of lower energy density extracorporeal shock wave therapy in the early stage of avascular necrosis of the femoral head. *Ann Rehabil Med.* 2016;40(5):871.
20. Zhai L, Ma XL, Jiang C, Zhang B, Liu ST, Xing GY. Human autologous mesenchymal stem cells with extracorporeal shock wave therapy for nonunion of long bones. *Indian J Orthop.* 2016;50:543-50.
21. Furia JP, Rompe JD, Maffulli N, Cacchio A, Schmitz C. Radial extracorporeal shock wave therapy is effective and safe in chronic distal biceps tendinopathy. *Clin J Sport Med.* 2017;27(5):430-7.
22. Hao Y, Guo H, Xu Z, et al. Meta-analysis of the potential role of extracorporeal shockwave therapy in osteonecrosis of the femoral head. *J Orthop Surg Res.* 2018;13(1):166.
23. Hayes, Inc. Health Technology Assessment. *Radial Extracorporeal Shock Wave Therapy for Chronic Plantar Fasciitis.* Lansdale, PA: Hayes, Inc.; February, 2020.

24. Ko JY, Siu KK, Wang FS, et al. The therapeutic effects of extracorporeal shock wave therapy (ESWT) on the rotator cuff lesions with shoulder stiffness: A prospective randomized study. *BioMed Res Int.* 2020;2020.
25. Malliaropoulos N, Thompson D, Meke M, et al. Individualised radial extracorporeal shock wave therapy (rESWT) for symptomatic calcific shoulder tendinopathy: a retrospective clinical study. *BMC Musculoskelet Disord.* 2017;18(1):1-7.