

References

M-18

1. Bulkava A, Mokracek A, Hanis J, et.al. Sequential hybrid procedure for persistent atrial fibrillation. *JAHA*. 2015;4:e001754.
2. Department of Health and Human Services. Catheter ablation for treatment of atrial fibrillation. AHRQ Technology Assessment Program. 2015.
3. Je HG, Shuman DJ, Ad N. A systematic review of minimally invasive surgical treatment for atrial fibrillation: a comparison of the Cox-Maze procedure, beating-heart epicardial ablation, and the hybrid procedure on safety and efficacy dagger. *Eur J Cardio-Thorac Surg*. 2015;48(4):531-40; discussion 540-1.
4. Kumar N, Pietro B, Pison L, et.al. Impact of hybrid procedure on P wave duration for atrial fibrillation ablation. *J Interv Card Electr*. 2015;42:91–99.
5. Velagic V, Mugnai G, Hunuk B, et.al. Repeat procedures after hybrid thoracoscopic ablation in the setting of longstanding persistent atrial fibrillation: Electrophysiological findings and 2-year clinical outcome. *J Cardiovasc Electr* 2016;141-50.
6. Huffman MD, Karmali KN, Berendsen MA, et al. Concomitant atrial fibrillation surgery for people undergoing cardiac surgery. *Cochrane Database Syst Rev*. 2016;(8):CD011814.
7. Je H, Shuman D, Ad N. A systematic review of minimally invasive surgical treatment for atrial fibrillation: a comparison of the Cox-Maze procedure, beating-heart epicardial ablation, and the hybrid procedure on safety and efficacy. *Eur J Cardio-Thorac* 2015;(48):531–541.
8. van Laar C, Kelder J, van Putte BP. The totally thoracoscopic maze procedure for the treatment of atrial fibrillation. *Interact CardioVasc Thoracic Surgery*. 2017;24:102-11.
9. Hyung, G, Shuman D, Ad, N. A systematic review of minimal invasive surgical treatment for atrial fibrillation: a comparison of the Cox-Maze procedure, beating-heart epicardial ablation, and the hybrid procedure on safety and efficacy. *Eur J of Card Surg*. 2015;48:531-541.
10. Hayes Health Technology Brief. *Comparative Effectiveness of Cryoablation Versus Radiofrequent Ablation for Atrial Fibrillation*. Lansdale PA: Hayes, Inc. June 9, 2016.
11. Borregaard R, Lukac P, Gerde C, et al. Radiofrequency ablation of accessory pathways in patients with the Wolff-Parkinson-White syndrome: the long term mortality and risk of atrial fibrillation. *Europace* 2015;17:117-122.

12. American College of Cardiology, American Heart Association, and Heart Rhythm Society. 2015. Guidelines for the Management of Adult Patients With Supraventricular Tachycardia.
13. Hayes, Inc. Hayes Technology Assessment. *Laser Balloon Ablation for the Treatment of Atrial Fibrillation*. Lansdale, PA: Hayes, Inc.; Published September 8, 2016
14. Hayes, Inc. Hayes Comparative Effectiveness Review. *Hybrid Maze Procedure for Atrial Fibrillation*. Lansdale, PA; Hayes, Inc.; Review July 15, 2019.
15. Alturki A, Proietti R, Dawar A, Alturki H, Huynh, Essebag V. Catheter ablation for atrial fibrillation in heart failure with reduced ejection fraction: a systematic review and meta-analysis of randomized controlled trials. *BMC Cardiovasc Disorder*. 2019;19:18.
16. Asad ZUA, Yousif A, Khan MS, et al. Catheter ablation versus medical therapy for atrial fibrillation: A systematic review and meta-analysis of randomized controlled trials. *Circ Arrhythm Electrophysiol*. 2019; 12(9):e007414.
17. Marrouche NF, Brachmann J, Andresen D, et al. catheter ablation for atrial fibrillation with heart failure. *N Engl J Med*. 2018;378(5):417-427.
18. Nyong J, Amit G, Adler AJ, et al. Efficacy and safety of ablation for people with non-paroxysmal atrial fibrillation. *Cochrane Database Syst Rev*. 2016;11:CD012088.
19. Shi LZ, Heng R, Liu SM, et al. Effect of catheter ablation versus antiarrhythmic drugs on atrial fibrillation: A meta-analysis of randomized controlled trials. *Exp Ther Med*. 2015;10(2):816-822.
20. Teunissen C, Kassenberg W, van der Heijden JF, et al. Five-year efficacy of pulmonary vein antrum isolation as a primary ablation strategy for atrial fibrillation: a single-centre cohort study. *Europace*. 2016;18(9):1335-42.
21. Su W, Orme GJ, Hoyt R, et al. Retrospective review of Arctic Front Advance Cryoballoon Ablation: a multicenter examination of second-generation cryoballoon (RADICOL trial). *J Interv Card Electrophysiol*. 2018;51(3):199-204.
22. Boho A, Misikova S, Spurny P, et al. A long-term evaluation of cryoballoon ablation in 205 atrial fibrillation patients: A single center experience. *Wien Klin Wochenschr*. 2015;127(19-20):779-85.
23. Davies AJ, Jackson N, Barlow M, et al. Long Term Follow-up of Pulmonary Vein Isolation Using Cryoballoon Ablation. *Heart Lung Circ*. 2016;25(3):290-5.
24. Reddy VY, Dukkipati SR, Neuzil P, et al. Randomized, Controlled Trial of the Safety and Effectiveness of a Contact Force-Sensing Irrigated Catheter for Ablation of Paroxysmal Atrial Fibrillation: Results of the TactiCath Contact Force Ablation Catheter Study for Atrial Fibrillation (TOCCASTAR) Study. *Circulation*. 2015;132(10):907-15.

25. Nakamura K, Naito S, Sasaki T, et al. Randomized comparison of contact force-guided versus conventional circumferential pulmonary vein isolation of atrial fibrillation: prevalence, characteristics, and predictors of electrical reconnections and clinical outcomes. *J Interv Card Electrophysiol*. 2015;44(3):235-45.
26. Afzal MR, Chatta J, Samanta A, et al. Use of contact force sensing technology during radiofrequency ablation reduces recurrence of atrial fibrillation: A systematic review and meta-analysis. *Heart Rhythm*. 2015;12(9):1990-6.
27. Zhu M, Zhou X, Cai H, et al. Catheter ablation versus medical rate control for persistent atrial fibrillation in patients with heart failure: A PRISMA-compliant systematic review and meta-analysis of randomized controlled trials. *Medicine (Baltimore)*. 2016;95(30):e4377.
28. Anselmino M, Matta M, Castagno D, et al. Catheter ablation of atrial fibrillation in chronic heart failure: state-of-the-art and future perspectives. *Europace*. 2016;18(5):638-47.
29. Vaidya K, Arnott C, Russell A, et al. Pulmonary vein isolation compared to rate control in patients with atrial fibrillation: A systematic review and meta-analysis. *Heart Lung Circ*. 2015;24(8):744-52.
30. Kuck KH, Merkely B, Zahn R, et al. Catheter ablation versus best medical therapy in patients with persistent atrial fibrillation and congestive heart failure: The randomized AMICA trial. *Circ Arrhythm* 2019;12(12): e007731.
31. Packer DL, Mark DB, Robb RA, et al. Effect of catheter ablation vs antiarrhythmic drug therapy on mortality, stroke, bleeding, and cardiac arrest among patients with atrial fibrillation: the CABANA randomized clinical trial. *JAMA*. 2019;321(13):1261-1274.
32. Mark DB, Anstrom KJ, Sheng S, et al. Effect of catheter ablation vs medical therapy on quality of life among patients with atrial fibrillation: the CABANA randomized clinical trial. *JAMA*. 2019;321(13):1275-1285.
33. Blomström-Lundqvist C, Gizurarson S, Schwieler J, et al. Effect of catheter ablation vs antiarrhythmic medication on quality of life in patients with atrial fibrillation: the CAPTAF randomized clinical trial. *JAMA*. 2019;321(11):1059-1068
34. Hakalahti A, Biancari F, Nielsen JC, et al. Radiofrequency ablation vs. antiarrhythmic drug therapy as first line treatment of symptomatic atrial fibrillation: systematic review and meta-analysis. *Europace*. 2015;17(3):370-8.
35. Nielsen JC, Johannessen A, Raatikainen P, et al. Long-term efficacy of catheter ablation as first-line therapy for paroxysmal atrial fibrillation: 5-year outcome in a randomised clinical trial. *Heart*. 2017;103(5):368-376.
36. Calkins H, Hindricks G, Cappato R, et al. 2017 HRS/EHRA/ECAS/APHRS/SOLAECE expert consensus statement on catheter and surgical ablation of atrial fibrillation. *Europace*. 2018;20(1): e1-e160.

37. January CT, Wann LS, Calkins H, et al. 2019 AHA/ACC/HRS Focused Update of the 2014 AHA/ACC/HRS Guideline for the management of patients with atrial fibrillation: A report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines and the Heart Rhythm Society. *J Am Coll Cardiol*. 2019;74(1):104-132.
38. Zhang D, Shi J, Quan H, et al. Five-year results of a modified left atrial maze IV procedure in the treatment of atrial fibrillation: a randomized study. *ANZ J Surg*. 2020;90(4):602-607.
39. Gillinov AM, Gelijns AC, Parides MK, et al. Surgical ablation of atrial fibrillation during mitral-valve surgery. *N Engl J Med*. 2015;372(15):1399-409.
40. Phan K, Phan S, Thiagalingam A, et al. Thoracoscopic surgical ablation versus catheter ablation for atrial fibrillation. *Eur J Cardiothorac Surg*. 2016;49(4):1044-51.
41. Castella M, Kotecha D, van Laar C, et al. Thoracoscopic vs. catheter ablation for atrial fibrillation: long-term follow-up of the FAST randomized trial. *Europace*. 2019;21(5):746-753.
42. Adiyaman A, Buist TJ, Beukema RJ, et al. Randomized Controlled Trial of Surgical Versus Catheter Ablation for Paroxysmal and Early Persistent Atrial Fibrillation. *Circ Arrhythm Electrophysiol*. 2018;11(10):e006182.
43. Geuzebroek GS, Bentala M, Molhoek SG, et al. Totally thoracoscopic left atrial Maze: standardized, effective and safe. *Interact Cardiovasc Thorac Surg*. 2016;22(3):259-64.
44. Vos LM, Bentala M, Geuzebroek GS, et al. Long-term outcome after totally thoracoscopic ablation for atrial fibrillation. *J Cardiovasc Electrophysiol*. 2020;31(1):40-45.
45. Badhwar V, Rankin JS, Damiano RJ, et al. The Society of Thoracic Surgeons 2017 Clinical Practice Guidelines for the Surgical Treatment of Atrial Fibrillation. *Ann Thorac Surg*. 2017;103(1):329-341.
46. Ad N, Damiano RJ, Badhwar V, et al. Expert consensus guidelines: Examining surgical ablation for atrial fibrillation. *J Thorac Cardiovasc Surg*. 2017;153(6):1330-1354.e1.