

## References

### M-4

1. Siah C, Childs C. Thermographic mapping of the abdomen in healthy subjects and patients after enterostoma. *J Wound Care*. March 2015;24(3):112.
2. Cojocaru I, Cojocaru M, Voiculescu V, Bozdoc-Ionescu O, Cartog A, Giurcaneanu C. Thermal patterns in zoster. *J Medicine And Life*. July 2015;8(3):346-349.
3. Ramon M. Supportive Noninvasive Tool for the Diagnosis of Breast Cancer Using a Thermographic Camera as Sensor. 2017;17(497): 1-21.
4. Wu The association of infrared imaging findings of the breast with prognosis in breast cancer patients: an observational cohort study. *BMC Cancer*. 2016;16: 1-7.
5. American College of Radiology. ACR Appropriateness Criteria® breast cancer screening. 2018. Accessed October 9, 2020.
6. Prasad S, Ramachandra L, Kumar V, Dave A, Mestha L, Venkatarmani K. Evaluation of efficacy of thermographic breast imaging in breast cancer: A pilot study. *Breast Disease*. 2016;36(4):143-147. Accessed August 22,
7. Mainiero MB, Lourenco A, Mahoney MC, et al. ACR Appropriateness Criteria Breast; Accessed May 14, 2019
8. S. Preventive Services Task Force. Breast Cancer: Screening. 2016. Accessed October 9, 2020.
9. Cavalheiro AL, Costa DT, Menezes AL, et al. Thermographic analysis and autonomic response in the hands of patients with leprosy. *An Bras Dermatol*. 2016;91(3):274-283. Accessed August 23,
10. Staffa E, Bernard V, Kubicek L, et al. Using noncontact infrared thermography for long-term monitoring of foot temperatures in a patient with diabetes mellitus. *Ostomy Wound Manage*. 2016;62(4):54-61. Accessed August 23, 2018.
11. National Comprehensive Cancer Network (NCCN). NCCN Clinical Practice Guidelines in Oncology: Breast Cancer Screening and Diagnosis. Version 6. 2020. Accessed October 09, 2020.
12. S Food and Drug Administration. FDA Warns Thermography Should Not Be Used in Place of Mammography to Detect, Diagnose, or Screen for Breast Cancer: FDA Safety Communication. <https://www.fda.gov/medical-devices/safety-communications/fda-warns-thermography-should-not-be-used-place-mammography-detect-diagnose-or-screen-breast-cancer>. Published 2/25/2019. Accessed 5/15/2019.

13. Hayes, Inc. Hayes Medical Technology Directory Report. Digital Infrared Imaging (Thermography) for Breast Cancer Screening. Lansdale, PA; Hayes, Inc; Published August 31, 2018. Accessed May, 15, 2019.
14. Alfieri FM, Battistella LR. Body temperature of healthy men evaluated by thermography: A study of reproducibility. *Tech and Health Care*. 2018;26;559-564.
15. Lis-Seiety A, Miziolek B, Ranosz-Janicka I, Bierzynska-Macyszyn G, Brzezinska-Wcislo L. Thermal imaging and dermoscopy for detecting inflammation in frontal fibrosing alopecia (FFA). *J Cosmetic Derm*. 2017;17:268-273.
16. Morales-Cervantes A, Kolosovas-Machuca ES, Guevara E, et al. An automated method for the evaluation of breast cancer using infrared thermography. *EXCLI J*. 2018;17:989-998.
17. Neal CH, Flynt KA, Jeffries DO, et al. Breast imaging outcomes following abnormal thermography. *Acad Radiol*. 2018;25(3):273-278.
18. Omranipour R, Kazemian A, Alipour S, et al. Comparison of the accuracy of thermography and mammography in the detection of breast cancer. 2016;11(4):260-264.
19. Corte AC, Pedrinelli A, Marttos A, et al. Infrared thermography study as a complementary method of screening and prevention of muscle injuries: pilot study. *BMJ Open Sport Exerc Med*. 2019;5(1):e000431.
20. de Melo DP, Bento PM, Peixoto LR, et al. Is infrared thermography effective in the diagnosis of temporomandibular disorders? A systematic review. *Oral Surg Oral Med Oral Pathol Oral Radiol*. 2019;127(2):185-192.
21. Oliveira AL, Moore Z, O Connor T, et al. Accuracy of ultrasound, thermography and subepidermal moisture in predicting pressure ulcers: a systematic review. *J Wound Care*. 2017;26(5):199-215.
22. Singer AJ, Relan P, Beto L, et al. Infrared Thermal imaging has the potential to reduce unnecessary surgery and delays to necessary surgery in burn patients. *J Burn Care Res*. 2016;37(6):350-355.
23. Martinez-Jimenez MA, Ramirez-GarciaLuna JL, Kolosovas-Machuca ES, et al. Development and validation of an algorithm to predict the treatment modality of burn wounds using thermographic scans: Prospective cohort study. *PLoS ONE*. 2018;13(11):e0206477.
24. Dong F, Tao C, Wu J, et al. Detection of cervical lymph node metastasis from oral cavity cancer using a non-radiating, noninvasive digital infrared thermal imaging system. *Sci Rep*. 2018;8(1):7219.
25. Agazzi A, Fadanelli G, Vittadello F, et al. Reliability of LoSCAT score for activity and tissue damage assessment in a large cohort of patients with Juvenile Localized Scleroderma. *Pediatr Rheumatol Online J*. 2018;16(1):37.

26. Cruz-Segura A, Cruz-Dominguez MP, Jara LJ, et al. Early detection of vascular obstruction in microvascular flaps using a thermographic camera. *J Reconstr Microsurg*. 2019; 35(7):541-548.
27. Unger M, Markfort M, Halama D, et al. Automatic detection of perforator vessels using infrared thermography in reconstructive surgery. *Int J Comput Assist Radiol Surg*. 2019;14(3):501-507.
28. Chen R, Huang ZQ, Chen WL, et al. Value of a smartphone-compatible thermal imaging camera in the detection of peroneal artery perforators: Comparative study with computed tomography angiography. *Head Neck*. 2019;41(5):1450-1456.
29. Li DG, Dewan AK, Xia FD, et al. The ALT-70 predictive model outperforms thermal imaging for the diagnosis of lower extremity cellulitis: A prospective evaluation. *J Am Acad Dermatol*. 2018;79(6):1076-1080.e1.
30. Al Shakarchi J, Inston N, Dabare D, et al. Pilot study on the use of infrared thermal imaging to predict infrainguinal bypass outcome in the immediate post-operative period. 2019;27(6):663-667.
31. Magalhaes C, Vardasca R, Rebelo M, et al. Distinguishing melanocytic nevi from melanomas using static and dynamic infrared thermal imaging. *J Eur Acad Dermatol Venereol*. 2019;33(9):17001705.
32. Anzengruber F, Alotaibi F, Kaufmann LS, et al. Thermography: High sensitivity and specificity diagnosing contact dermatitis in patch testing. *Allergol Int*. 2019; 68(2):254-258.
33. Umapathy S, Thulasi R, Gupta N, et al. Thermography and colour doppler ultrasound: a potential complementary diagnostic tool in evaluation of rheumatoid arthritis in the knee region. *Biomed Tech (Berl)*. 2020;65(3):289-299.
34. Jones B, Hassan I, Tsuyuki RT, et al. Hot joints: myth or reality? A thermographic joint assessment of inflammatory arthritis patients. *Clin Rheumatol*. 2018;37(9):2567-2571.
35. Gatt A, Falzon O, Cassar K, et al. the application of medical thermography to discriminate neuroischemic toe ulceration in the diabetic foot. *Int J Low Extrem Wounds*. 2018;17(2):102-105.
36. Gatt A, Falzon O, Cassar K, et al. Establishing differences in thermographic patterns between the various complications in diabetic foot disease. *Int J Endocrinol*. 2018;2018:9808295.
37. van Doremalen RFM, van Netten JJ, van Baal JG, et al. Validation of low-cost smartphone-based thermal camera for diabetic foot assessment. *Diabetes Res Clin Pract*. 2019;149:132-139.
38. Sandi S, Yusuf S, Kaelan C, et al. Evaluation risk of diabetic foot ulcers (DFUs) using infrared thermography based on mobile phone as advanced risk

assessment tool in the community setting: A multisite cross-sectional study. *Enferm Clin.* 2020; 30 Suppl 2:453-457.

39. Petrova NL, Donaldson NK, Tang W, et al. Infrared thermography and ulcer prevention in the high-risk diabetic foot: data from a single-blind multicentre controlled clinical trial. *Diabet Med.* 2020;37(1):95-104.
40. Sardanelli F, Aase HS, Alvarez M, et al. Position paper on screening for breast cancer by the European Society of Breast Imaging (EUSOBI) and 30 national breast radiology bodies from Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Israel, Lithuania, Moldova, The Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Spain, Sweden, Switzerland and Turkey. *Eur Radiol.* 2017;27(7):2737-2743.
41. Qaseem A, Lin JS, Mustafa RA, et al. Screening for breast cancer in average-risk women: A guidance statement from the American College of Physicians. *Ann Intern Med.* 2019;170(8):547-560.
42. Hayes, Inc. Hayes Health Technology Assessment. *Laser Interstitial Thermal Therapy (LITT) for Treatment of Glioblastomas in Adults.* Lansdale, PA. Hayes, Inc.; 9/20/2019.