

References

M-7

1. Gerling A, Leu S, Morton A, Eschegoyen J, Nalbandian A, Lingua R. Reliability and application variability of a commercially available infrared videonystagmography unit. *J Pediatr Ophthalmol Strabismus*. 2015;52(2):114-118. <https://www.ncbi.nlm.nih.gov>
2. Maheu M, Houde M-S, Landry SP, Champoux F. The effects of aging on clinical vestibular evaluations. *Front Neurol*. 2015;6:205. <https://www.ncbi.nlm.nih.gov>
3. Bhattacharyya N, Gubbels SP, Schwartz SR, et al. Clinical practice guideline: Benign paroxysmal positional vertigo (Update). *Otolaryngol Head Neck Surg*. 2017; 156(3S): S1-S47.
4. American Academy of Neurology (AAN) Practice Guidelines. Cervical and ocular vestibular evoked myogenic potential testing. *Neurology*. 2017.
5. Mijovic T, Remillard A, Zaia E. et al. A closer look at subjective caloric sensations: is there more to vertigo than spinning?. *J Vestib Res*. 2017;(27):271-277.
6. Ertl M, Boegle R, Kirsch V, et al. On the impact of examiners on latencies and amplitudes in cervical and ocular vestibular-evoked myogenic potentials evaluated over a large sample (N = 1,038). *Eur Arch Otorhinolaryngol*. 2016;273(2):317-323.
7. Doettl SM, Plyler PN, McCaslin DL, Schay NL. Pediatric Oculomotor Findings during Monocular Videonystagmography: A Developmental Study. *Journal of the American Academy of Audiology*. 2015;26(8):703-715.
8. Doettl SM, Plyler PN, McCaslin DL. Artifact in Pediatric Oculomotor Findings during Videonystagmography: A Retrospective Analysis. *Journal of the American Academy of Audiology*. 2017;28(4):314-324.