

References

O-32

1. NHIC/CGS L33787, effective 10/01/2015, revised 01/01/2020. Accessed April 1, 2021.
2. NHIC/CGS DME MAC A52496, effective 10/01/2015, revised 01/01/2020. Accessed April 1, 2021.
3. Windrich M, Grimmer M, Christ O, et al. Active lower limb prosthetics: A systematic review of design issues and solutions. *Biomedical Engineering Online*. 2016;15(Suppl 3):140.
4. Pröbsting E, Kannenberg A, Zacharias B. Safety and walking ability of KAFO users with the C- Brace® Orthotronic Mobility System, a new microprocessor stance and swing control orthosis. *Prosthetics and Orthotics International*. 2017;41(1):65-77.
5. Hayes Clinical Research Response Osseointegrated Prostheses for the Rehabilitation of Amputees (OPRA) August 8, 2018 Accessed March 31, 2020
6. Fernandes J-C, Silva M, Santos R. Components of Prosthetic Lower Limbs for Transfemoral and Transtibial Amputations: General Prescription Recommendations and Literature Review. *Journal of Life Care Planning*. 2018;16(2):11-21.
7. Highsmith, M., Stevens P, Orendurff, M, Kannenberg A. The role of exercise testing in predicting successful ambulation with a lower extremity prosthesis: a systematic literature review and clinical practice guideline. *Journal of Neuro Engineering and Rehabilitation*. 2018;15 (Suppl 1):64
8. Sansosti LE, Crowell A, Choi ET, Meyr AJ. Rate of and Factors Associated with Ambulation After Unilateral Major Lower-Limb Amputation at an Urban US Tertiary-Care Hospital with a Multidisciplinary Limb Salvage Team. *Journal of the American Podiatric Medical Association*. 2017;107(5):355-364.

9. Roffman CE, Buchanan J, Allison CT. Locomotor Performance During Rehabilitation of People With Lower Limb Amputation and Prosthetic Nonuse 12 Months After Discharge. *Physical Therapy*. 2016;96(7):985-994.
10. Quinlan J, Yohay J, Subramanian V, Poziembo B, Fatone S. Using mechanical testing to assess the effect of lower-limb prosthetic socket texturing on longitudinal suspension. *PloS one*. 2020;15(8):e0237841.