References

O-5

- 1. Louie D, Eng J, Lam T, et al. Gait speed using powered robotic exoskeletons after spinal cord injury: A systematic review and correlational study. *Journal of Neuro Engineering and Rehabilitation*. 2015 Oct 14; 12:82.
- 2. Asselin P, Knezevic S, Kornfeld S, et al. Heart rate and oxygen demand of powered exoskeleton assisted walking in persons with paraplegia. *J Rehabil Res Dev.* 2015;52(2):147-158.
- 3. Hartigan C, Kandilakis C, Dalley S, et al. Mobility outcomes following five training sessions with a powered exoskeleton. *Top Spinal Cord Inj Rehabil*. Spring 2015;21(2):93-99.
- 4. Asselin PK, Avedissian M, Knezevic S, Komfeld S, Spungen AM. Training persons with spinal cord injury to ambulate using a powered exoskeleton. *J Vis Exp.* 2016(112).
- 5. Lajeunesse V, Vincent C, Routhier F, Careau E, Michaud F. Exoskeletons' design and usefulness evidence according to a systematic review of lower limb exoskeletons used for functional mobility by people with spinal cord injury. *Disabil Rehabil Assist Technol.* 2016;11(7):535-547.
- 6. Platz T, Gillner A, Borgwaldt N, Kroll S, Roschka S. Device-training for individuals with thoracic and lumbar spinal cord injury using a powered exoskeleton for technically assisted mobility: achievements and user satisfaction. *Biomed Res Int.* 2016. doi: 10.1155/2016/8459018.