

References

I-9118

1. Lemtrada prescribing information. Genzyme Corporation. August 2021.
2. Multiple Sclerosis Coalition. The Use of Disease Modifying Therapies in Multiple Sclerosis: Principals and Current Evidence. Updated June 2019. National Multiple Sclerosis Society. Available at: https://www.nationalmssociety.org/NationalMSSociety/media/MSNationalFiles/Brochures/DMT_Consensus_MS_Coalition.pdf.
3. Institute for Clinical and Economic Review (ICER). Disease-Modifying Therapies for Relapsing-Remitting and Primary-Progressive Multiple Sclerosis: Effectiveness and Value. March 6, 2017. Available at: https://icer-review.org/wp-content/uploads/2016/08/CTAF_MS_Final_Report_030617.pdf.
4. Rae-Grant, Alexander, MD, et al. Practice Guideline Recommendations Summary: Disease-Modifying Therapies for Adults with Multiple Sclerosis. *Neurology*. 2018;90:777-788.
5. Corboy, John R, MD, et al. Comment on 2018 American Academy of Neurology Guidelines on Disease-Modifying Therapies in MS. *Neurology*. 2018;90:1106-1112.
6. National Institute for Health and Care Excellence (NICE). Disease-Modifying Therapies For Multiple Sclerosis. 2018. Available at: <https://www.nice.org.uk/guidance/ta127/chapter/2-The-technology>
7. Thompson AJ, Banwell BL, Barkhof F, et al. Diagnosis of multiple sclerosis:2017 revisions of the McDonald criteria. *Lancet Neurol* 2018; 17:162-73.
8. National Multiple Sclerosis Society 2017 McDonald MS Diagnostic Criteria. Available at: <https://www.nationalmssociety.org/For-Professionals/Clinical-Care/Diagnosing-MS/Diagnosing-Criteria>.
9. National MS Society. What is MS/Types of MS. Available at: <https://www.nationalmssociety.org/What-is-MS/Types-of-MS>.
10. Conway D, Cohen JA. Combination therapy in multiple sclerosis. *Lancet Neurol* 2010 Mar;9(3):299-308.
11. Freedman MS, Devonshire V, Duquette P, et al. Treatment Optimization in Multiple Sclerosis: Canadian MS Working Group Recommendations. *The Can J Neurol Sci*. 2020;47:437-455.
12. Kitzler HH, Wahl H, Eisele JC, et al. Multi-component relaxation in clinically isolated syndrome; Lesion myelination may predict multiple sclerosis conversion. *NeuroImage: Clinical* 20 (2018)61-70.