

References

M-23

1. Iluyomade A, Olowoyeye A, Fadahunsi O, et al. Interference with daily activities and major adverse events during esophageal pH monitoring with bravo wireless capsule versus conventional intranasal catheter: A systematic review of randomized controlled trials. *Esophagus*. 2017;30(3): 1-9.
2. National Institute for Health and Care Excellence (NICE). Gastro-oesophageal reflux disease in children and young people: Diagnosis and management. 2015. Accessed April 1, 2020.
3. Singendonk MMJ, Benninga MA, van Wijk MP. Reflux monitoring in children. *Neurogastroenterol Motil*. 2016;28(10):1452- 1459.
4. Kahrilas P, Shaheen N, Vaezi M. American Gastroenterological Association medical position statement on the management of gastroesophageal reflux disease. 2018;135(4):1383-1391.
5. Forootan M, Zojaji H, Ehsani MJ, et al. Advances in the diagnosis of GERD using the esophageal pH monitoring, gastro-esophageal impedance-pH monitoring, and pitfalls. *Open access Maced J of Med Sci*. 2018;6(10):1934.
6. Di Pace MR, Caruso AM, Catalano P, et al. Evaluation of esophageal motility using multichannel intraluminal impedance in healthy children and children with gastroesophageal reflux. *J Pediatr Gastroenterol Nutr*. 2011;52(1):26-30.
7. Rosen R, Vandenplas Y, Singendonk M, et al. Pediatric gastroesophageal reflux clinical practice guidelines: joint recommendations of the North American Society for Pediatric Gastroenterology, Hepatology, and Nutrition (NASPGHAN) and the European Society for Pediatric Gastroenterology, Hepatology, and Nutrition (ESPGHAN). *J Pediatr Gastroenterol Nutr*. 2018;66(3):516.
8. Safe M, Cho J, Krishnan U. Combined multichannel intraluminal impedance and pH measurement in detecting gastroesophageal reflux disease in children. *J Pediatr Gastroenterol Nutr*. 2016;63(5):e98-106.
9. Liu YW, Wu JF, Chen HL, et al. The correlation between endoscopic reflux esophagitis and combined multichannel intraluminal impedance-pH monitoring in children. *Pediatr Neonatol*. 2016;57(5):385-9.

10. Rossi P, Isoldi S, Mallardo S, et al. Combined multichannel intraluminal impedance and pH monitoring is helpful in managing children with suspected gastro-oesophageal reflux disease. *Dig Liver Dis.* 2018;50(9):910-5.