

References

A-5001

1. American Society of Anesthesiologists (ASA). Position on monitored anesthesia care (Amended October 17, 2018). 2018; <https://www.asahq.org/standards-and-guidelines/position-on-monitored-anesthesia-care>. Accessed October 3, 2022.
2. American Society of Anesthesiologists (ASA). Distinguishing monitored Anesthesia care (MAC) from moderate sedation/analgesia (Last Amended October 17, 2018). 2018; <https://www.asahq.org/standards-and-guidelines/distinguishing-monitored-anesthesia-care-mac-from-moderate-sedationanalgesia-conscious-sedation>. Accessed October 2, 2022.
3. American Society of Anesthesiologists (ASA). Continuum of Depth of Sedation: Definition of General Anesthesia and Levels of Sedation/Analgesia (Last Amended on October 23, 2019). 2019; <https://www.asahq.org/standards-and-guidelines/continuum-of-depth-of-sedation-definition-of-general-anesthesia-and-levels-of-sedationanalgesia> Accessed October 1, 2022.
4. American Society of Anesthesiologists Task Force on Sedation and Analgesia by Non-Anesthesiologists. Practice guidelines for sedation and analgesia by non-anesthesiologists. *Anesthesiology*. Apr 2002; 96(4): 1004-17. PMID 11964611
5. American Society of Anesthesiologists (ASA). Guidelines for ambulatory anesthesia and surgery (Reaffirmed October 2018). 2018; American Society of Anesthesiologists (ASA). Guidelines for ambulatory anesthesia and surgery. <https://www.asahq.org/standards-and-guidelines/guidelines-for-ambulatory-anesthesia-and-surgery>. Accessed October 4, 2022.
6. American Society of Anesthesiologists (ASA). Statement on safe use of propofol (Amended October 2019). 2019; <https://www.asahq.org/standards-and-guidelines/statement-on-safe-use-of-propofol>. Accessed September 25, 2022.
7. Whippley A, Kostandoff G, Paul J, et al. Predictors of unanticipated admission following ambulatory surgery: a retrospective case-control study. *Can J Anaesth*. Jul 2013; 60(7): 675-83. PMID 23606232
8. Fleisher LA, Pasternak LR, Herbert R, et al. Inpatient hospital admission and death after outpatient surgery in elderly patients: importance of patient and system characteristics and location of care. *Arch Surg*. Jan 2004; 139(1): 67-72. PMID 14718279
9. Mazze RI, Kallen B. Reproductive outcome after anesthesia and operation during pregnancy: a registry study of 5405 cases. *Am J Obstet Gynecol*. Nov 1989; 161(5): 1178-85. PMID 2589435

10. ACOG Committee on Obstetric Practice. ACOG Committee Opinion Number 284, August 2003: Nonobstetric surgery in pregnancy. *Obstet Gynecol.* Aug 2003; 102(2): 431. PMID 12907126
11. Higuchi H, Adachi Y, Arimura S, et al. Early pregnancy does not reduce the C(50) of propofol for loss of consciousness. *Anesth Analg.* Dec 2001; 93(6): 1565-9, table of contents. PMID 11726445
12. Cohen LB, Delege MH, Aisenberg J, et al. AGA Institute review of endoscopic sedation. *Gastroenterology.* Aug 2007; 133(2): 675-701. PMID 17681185
13. McCarty TR, Hathorn KE, Creighton DW, et al. Safety and sedation-associated adverse event reporting among patients undergoing endoscopic cholangiopancreatography: a comparative systematic review and meta-analysis. *Surg Endosc.* Dec 2021; 35(12): 6977-6989. PMID 33966121
14. Dhaliwal A, Dhindsa BS, Saghir SM, et al. Choice of sedation in endoscopic retrograde cholangiopancreatography: is monitored anesthesia care as safe as general anesthesia? A systematic review and meta-analysis. *Ann Gastroenterol.* Nov-Dec 2021; 34(6): 879-887. PMID 34815655
15. Enestvedt BK, Eisen GM, Holub J, et al. Is the American Society of Anesthesiologists classification useful in risk stratification for endoscopic procedures?. *Gastrointest Endosc.* Mar 2013; 77(3): 464-71. PMID 23410699
16. Agostoni M, Fanti L, Gemma M, et al. Adverse events during monitored anesthesia care for GI endoscopy: an 8-year experience. *Gastrointest Endosc.* Aug 2011; 74(2): 266-75. PMID 21704990
17. Berzin TM, Sanaka S, Barnett SR, et al. A prospective assessment of sedation-related adverse events and patient and endoscopist satisfaction in ERCP with anesthesiologist-administered sedation. *Gastrointest Endosc.* Apr 2011; 73(4): 710-7. PMID 21316669
18. Cote GA, Hovis RM, Ansstas MA, et al. Incidence of sedation-related complications with propofol use during advanced endoscopic procedures. *Clin Gastroenterol Hepatol.* Feb 2010; 8(2): 137-42. PMID 19607937
19. Singh H, Poluha W, Cheung M, et al. Propofol for sedation during colonoscopy. *Cochrane Database Syst Rev.* Oct 08 2008; (4): CD006268. PMID 18843709
20. Poincloux L, Laquiere A, Bazin JE, et al. A randomized controlled trial of endoscopist vs. anaesthetist-administered sedation for colonoscopy. *Dig Liver Dis.* Jul 2011; 43(7): 553-8. PMID 21450542
21. Shen XC, Ao X, Cao Y, et al. Etomidate-remifentanil is more suitable for monitored anesthesia care during gastroscopy in older patients than propofol-remifentanil. *Med Sci Monit.* Jan 01 2015; 21: 1-8. PMID 25553506
22. Treeprasertsuk S, Rerknimitr R, Angsuwatcharakon P, et al. The safety of propofol infusion compared to midazolam and meperidine intravenous bolus

- for patients undergoing double balloon enteroscopy. *J Med Assoc Thai*. May 2014; 97(5): 483-9. PMID 25065086
23. de Paulo GA, Martins FP, Macedo EP, et al. Sedation in gastrointestinal endoscopy: a prospective study comparing nonanesthesiologist-administered propofol and monitored anesthesia care. *Endosc Int Open*. Feb 2015; 3(1): E7-E13. PMID 26134777
 24. Sieg A, Beck S, Scholl SG, et al. Safety analysis of endoscopist-directed propofol sedation: a prospective, national multicenter study of 24 441 patients in German outpatient practices. *J Gastroenterol Hepatol*. Mar 2014; 29(3): 517-23. PMID 24716213
 25. Silvestri GA, Vincent BD, Wahidi MM, et al. A phase 3, randomized, double-blind study to assess the efficacy and safety of fospropofol disodium injection for moderate sedation in patients undergoing flexible bronchoscopy. *Chest*. Jan 2009; 135(1): 41-47. PMID 18641105
 26. Bernards CM, Hadzic A, Suresh S, et al. Regional anesthesia in anesthetized or heavily sedated patients. *Reg Anesth Pain Med*. Sep-Oct 2008; 33(5): 449-60. PMID 18774514
 27. Neal JM, Bernards CM, Hadzic A, et al. ASRA Practice Advisory on Neurologic Complications in Regional Anesthesia and Pain Medicine. *Reg Anesth Pain Med*. Sep-Oct 2008; 33(5): 404-15. PMID 18774509
 28. American Society of Anesthesiologists (ASA). Statement on anesthetic care during interventional pain procedures for adults. Amended October 13, 2021; <https://www.asahq.org/standards-and-guidelines/statement-on-anesthetic-care-during-interventional-pain-procedures-for-adults>. Accessed September 21, 2022.
 29. American Society of Anesthesiologists (ASA). Statement on Respiratory Monitoring during Endoscopic Procedures (Amended October 2019). 2019; <https://www.asahq.org/standards-and-guidelines/statement-on-respiratory-monitoring-during-endoscopic-procedures>. Accessed September 30, 2022.
 30. Early DS, Lightdale JR, Vargo JJ, et al. Guidelines for sedation and anesthesia in GI endoscopy. *Gastrointest Endosc*. Feb 2018; 87(2): 327-337. PMID 29306520
 31. Rizk MK, Sawhney MS, Cohen J, et al. Quality indicators common to all GI endoscopic procedures. *Am J Gastroenterol*. Jan 2015; 110(1): 48-59. PMID 25448874
 32. Chandrasekhara V, Early DS, Acosta RD, et al. Modifications in endoscopic practice for the elderly. *Gastrointest Endosc*. Jul 2013; 78(1): 1-7. PMID 23664042

33. Calderwood AH, Chapman FJ, Cohen J, et al. Guidelines for safety in the gastrointestinal endoscopy unit. *Gastrointest Endosc.* Mar 2014; 79(3): 363-72. PMID 24485393
34. Vargo JJ, Cohen LB, Rex DK, et al. Position statement: nonanesthesiologist administration of propofol for GI endoscopy. *Gastrointest Endosc.* Dec 2009; 70(6): 1053-9. PMID 19962497