

References

S-179

1. Keltz J, Levie M, Chudnoff S. Pregnancy outcomes after direct uterine myoma thermal ablation: Review of the literature. *J Minim Invasive Gynecol.* 2017;24(4):538-545.
2. Sandberg EM, Tummers F, Cohen SL, van den Haak L, Dekkers OM, et al. Reintervention risk and quality of life outcomes after uterine-sparing interventions for fibroids: A systematic review and meta-analysis. *Fertil Steril.* 2018;109(4):698-707.
3. Hayes, Inc. Health Technology Brief. *Laparoscopic radiofrequency volumetric thermal ablation (Acessa System; Hault Medical Inc.) for treatment of uterine fibroids.* Lansdale, PA: Hayes, Inc. 11/15/2017.
4. Gingold JA, Gueye NA, Falcone T. Minimally invasive approaches to myoma management. *J Minim Invasive Gynecol.* 2018;25(2):237-250.
5. Laughlin-Tommaso SK. Non-surgical management of myomas. *J Minim Invasive Gynecol.* 2018;25(2):229-236.
6. Committee on Practice Bulletins-Obstetrics. Practice Bulletin No. 183: Postpartum *Obstet Gynecol.* 2017;130(4):e168-e186.
7. ACOG Practice Bulletin. Clinical Practice Guidelines for Obstetrician-Gynecologists. 2017(81). Reaffirmed 2018.
8. Van den Brink MJ, Beelen P, Herman MC, Claassen NJJ, Bongers MY, et al. Women's preferences for levonorgestrel intrauterine system versus endometrial ablation for heavy menstrual bleeding, *Eur J Obstet Gynecol.* doi:10.1016/j.ejogrb.2018.06.020.
9. Barnard EP, AbdElmagied AM, Vaughan LE, et al. Periprocedural outcomes comparing fibroid embolization and focused ultrasound: A randomized controlled trial and comprehensive cohort analysis. *Am J Obstet Gynecol.* 2017;216(5):500.e1-500.e11.
10. McCausland V, McCausland A, Barbis S. Partial endometrial ablation: A 10-20-year follow-up of impact on bleeding, pain, and quality of life. *J Gynecol Surg.* 2016;32(4):230-235.
11. Davis MR, Soliman AM, Castelli-Haley J, et al. Reintervention Rates After Myomectomy, Endometrial Ablation, and Uterine Artery Embolization for Patients with Uterine Fibroids. *J Women's Health.* 2018;27(10):1204-1214.
12. Hayes Technology Assessment. *Laparoscopic radiofrequency volumetric thermal ablation (Acessa) for treatment of uterine fibroids.* Lansdale, PA: Hayes, Inc. 11/17/2020.

13. Chudnoff S, Guido R, Roy K, Levine D, Mihalov L, Garza-Leal J. Ultrasound-Guided transcervical ablation of uterine leiomyomas. *Obstet Gyn.* 2019;133(1):13-22.
14. Hayes Technology Assessment. *Transcervical radiofrequency ablation with the Sonata System for symptomatic uterine fibroids*. Lansdale, PA. Hayes, Inc. 11/17/2020.
15. American College of Obstetricians and Gynecologists. ACOG practice bulletin. Alternatives to hysterectomy in the management of leiomyomas. *Obstet Gynecol.* 2008;112(2 Pt 1):387-400. Reaffirmed in 2019.
16. Miller CE, Osman KM. Transcervical radiofrequency ablation of symptomatic uterine fibroids: 2-Year results of the SONATA pivotal trial. *J Gynecol Surg.* 2019;35(6):345-349.
17. Bradley LD, Pasic RP, Miller LE. Clinical performance of radiofrequency ablation for treatment of uterine fibroids: Systematic review and meta-analysis of prospective studies. *J Laparoendosc Adv Surg Tech A.* 2019;29(12):1507-1517.
18. Lin L, Ma H, Wang J et al. Quality of life, adverse events and reintervention outcomes after laparoscopic radiofrequency ablation for symptomatic uterine fibroids: A meta-analysis. *J Minim Invasive Gynecol.* 2019;26(3):409-416.
19. Zhang J, Go VA, Blanck JF, Singh B. A systematic review of minimally invasive treatments for uterine fibroid-related bleeding. *Reprod Sci.* 2022; 29(10):2786-2809. doi: 10.1007/s43032-021-00722-z.
20. Polin M, Hur HC. Radiofrequency ablation of uterine myomas and pregnancy outcomes: an updated review of the literature. *J Minim Invasive Gynecol.* 2022;29(6):709-715. doi: 10.1016/j.jmig.2022.01.015.
21. Cope AG, Young RJ, Stewart EA. Non-extirpative treatments for uterine myomas: measuring success. *J Minim Invasive Gynecol.* 2021;28(3):442-452.
22. Yu S, Bhagavath B, Shobeiri SA, Eisenstein D, Levy B. Clinical and patient reported outcomes of pre- and postsurgical treatment of symptomatic uterine leiomyomas: A 12-month follow-up review of TRUST, a surgical randomized clinical trial comparing laparoscopic radiofrequency ablation and myomectomy. *J Minim Invasive Gynecol.* 2022;29(6):726-737.
23. Hayes, Inc. Hayes Health Technology Brief. *Magnetic Resonance-Guided Focused Ultrasound Therapy for Treatment of Uterine Fibroids*. Lansdale, PA: Hayes, Inc.: 08/22/2019