

References

S-236

1. Prum BE, Jr., Rosenberg LF, Gedde SJ, et al. Primary open-angle glaucoma Preferred Practice Pattern((R))guidelines. *Ophthalmology*. Jan 2016;123(1):P41-p111. PMID 26581556. Accessed February 6, 2018.
2. National Institute for Health and Care Evidence (NICE). Trabecular stent bypass microsurgery for open-angle glaucoma [IPG575]. 2017; <https://www.nice.org.uk/guidance/ipg575>. Accessed February 6, 2018.
3. Kotecha A, Feuer WJ, Barton K, et al. Quality of life in the tube versus trabeculectomy study. *Am J Ophthalmol*. 2017;176:228-235.
4. [Gonzalez-Rodriguez JM](#), [Trope GE](#), [Drori-Wagschal L](#), et al. Comparison of trabeculectomy versus Ex-PRESS: 3-year follow-up. *Br J Ophthalmol*. 2016;100(9):1269-73.
5. Dib Bustros Y, Fechtner R, S Khouri A. Outcomes of Ex-PRESS and trabeculectomy in a glaucoma population of African origin: One year results. *J Curr Glaucoma Pract*. 2017;11(2):42–47.
6. Omatsu S, Hirooka K, Nitta E, Ukegawa K. Changes in corneal endothelial cells after trabeculectomy and EX-PRESS shunt: 2-year follow-up. *BMC Ophthalmol*. 2018;18(1):243.
7. European Glaucoma Society Terminology and Guidelines for Glaucoma, 4th Edition - Chapter 3: Treatment principles and options Supported by the EGS Foundation: Part 1: Foreword; Introduction; Glossary; Chapter 3 Treatment principles and options. *Br J Ophthalmol*. 2017;101(6):130–195.
8. Microinvasive subconjunctival insertion of a trans-scleral gelatin stent for primary open-angle glaucoma. [IPG612]. 2018; <https://www.nice.org.uk/guidance/ipg612/chapter/1-Recommendations>. Accessed October 3, 2019.
9. Trabecular stent bypass microsurgery for open-angle glaucoma [IPG575]. 2017; <https://www.nice.org.uk/guidance/ipg575>. Accessed October 3, 2019.

10. Prum BE Jr, Rosenberg LF, Gedde SJ, et al. Primary open-angle glaucoma preferred practice pattern® guidelines. *Ophthalmol.* 2016;123(1):41-111.
11. Katz LJ, Erb C, Carceller Guillamet A, et al. Long-term titrated IOP control with one, two, or three trabecular micro-bypass stents in open-angle glaucoma subjects on topical hypotensive medication: 42-month outcomes. *Clin Ophthalmol.* 2018;12:255–262.
12. Vold SD, Voskanyan L, Tetz M, et al. Newly Diagnosed Primary Open-Angle Glaucoma Randomized to 2 Trabecular Bypass Stents or Prostaglandin: Outcomes Through 36 Months [published correction appears in *Ophthalmol Ther.* 2016 Dec;5(2):173]. *Ophthalmol Ther.* 2016;5(2):161–172.
13. De Gregorio A, Pedrotti E, Russo L, Morseli S. Minimally invasive combined glaucoma and cataract surgery: Clinical results of the smallest ab interno gel stent. *Int Ophthalmol.* 2018;38(3):1129-1134.
14. Fea AM, Ahmed II, Lavis C, et al. Hydrus microstent compared to selective laser trabeculoplasty in primary open angle glaucoma: One year results. *Clin Exp ophthalmol.* 2017;45(2):120-127.
15. Samuelson TW, Chang DF, Marquis R, et al. A schlemm canal microstent for intraocular pressure reduction in primary open-angle glaucoma and cataract. *Ophthalmol.* 2019;126(1):29-37.
16. Vlasov A, Kim WI. The Efficacy of Two Trabecular Bypass Stents Compared to One in the Management of Open-Angle Glaucoma. *Military Medicine.* 2017;182(1):222–225.
17. Ferguson T, Swan R, Ibach M, et al. Evaluation of a trabecular microbypass stent with cataract extraction in severe primary open-angle glaucoma. *J Glaucoma.* 2018;27(1):71-76.
18. Kurji K, Rudinsky CJ, Rayat JS, et al. Phaco-trabectome verses phaco-iStent in patients with open-angle glaucoma. *Can J Ophthalmol.* 2017;52(1):99-106.
19. Agrawal P, Bradshaw SE. Systematic Literature Review of Clinical and Economic Outcomes of Micro-Invasive Glaucoma Surgery (MIGS) in Primary Open-Angle Glaucoma. *Ophthalmol Ther.* 2018;7(1):49–73.

20. Mansouri K, Guidotti J, Rao HL, et al. Prospective evaluation of standalone XEN gel implant and combined phacoemulsification-XEN gel implant surgery: 1-Year result. *J Glaucoma*. 2018;27(2):140-147.
21. Tan SZ, Walkden A, Au L. One-year result of XEN45 implant for glaucoma: efficacy, safety, and postoperative management. *Eye (Lond)*. 2018;32(2):324–332.
22. Ozal Sa, Kaplaner O, Basar BB, et al. An innovation in glaucoma surgery: XEN45 gel stent implantation. *Arq Bras Offamol*. 2017;80(6):382-385.
23. Galal A, Bilgic A, Eltanamly R, Osman A. XEN Glaucoma Implant with Mitomycin C 1-Year Follow-Up: Result and Complications. *J Ophthalmol*. 2017;2017:5457246.
24. Hengerer FH, Kohnen T, Mueller M, et al. Ab interno gel implant for the treatment of glaucoma patients with or without prior glaucoma surgery: 1-year results. *J Glaucoma*. 2017;26(12):1130-1136.
25. Grovers DS, Flynn WJ, Bashford KP, et al. Performance and safety of a new ab interno gelatin stent in refractory glaucoma at 12 months. *Am J Ophthalmol*. 2017;183:25-36.
26. Schlenker MB, Gulamhusein H, Conrad-Hengerer I, et al. Efficacy, safety and risk factors for failure of standalone ab interno gelatin microstent implantation versus standalone trabeculectomy. *Ophthalmol*. 2017;124(11):1579-1588.
27. Budenz DL, Feuer WJ, Barton K, et al. Postoperative Complications in the Ahmed Baerveldt Comparison Study During Five Years of Follow-up. *Am J Ophthalmol*. 2016;163:75–82.
28. Christakis PG, Kalenak JW, Tsai JC, et al. The Ahmed versus Baerveldt study: Five-year outcomes. *Ophthalmol*. 2016;123(10):2093-102.
29. Christakis PG, Zhang D, Budenz DL, et al. Five-year pooled data analysis of the Ahmed Baerveldt comparison study and the Ahmed versus Baerveldt study. 2017;176:118-126.
30. Bo W, Dai D, Sun F. Observation of curative effects of Ex-PRESS and AGV implantation in the treatment of refractory glaucoma. *Exp Ther Med*. 2018;15(5):4419–4425.

31. Le JT, Bicket AK, Wang L, et al. Ab interno trabecular bypass surgery with iStent for open-angle glaucoma. *Cochrane Database Syst Rev.* 2019;3:CD012743.
32. Samuelson TW, Sarkisian SR, Lubeck DM, et al. Prospective, randomized, controlled pivotal trial of an abinterno implanted trabecular micro-bypass in primary open-angle glaucoma and cataract: Two-year results. *Ophthalmol.* 2019;126(6):811-821.
33. Hooshmand J, Rothschild P, Allen P, et al. Minimally invasive glaucoma surgery: Comparison of iStent with iStentinject in primary open angle glaucoma. *Clin Experiment Ophthalmol.* 2019;47(7):898-903.
34. Otarola F, Virgili G, Shah A, et al. Ab interno trabecular bypass surgery with Schlemms canal microstent (Hydrus) for open angle glaucoma. *Cochrane Database Syst Rev.* 2020;3:CD012740.
35. Ahmed IIK, Fea A, Au L, et al. A prospective randomized trial comparing hydrus and istent microinvasive glaucoma surgery implants for standalone treatment of open-angle glaucoma: The COMPARE study. *Ophthalmol.* 2020;127(1):52-61.
36. Berdahl J, Voskanyan L, Myers JS, et al. iStent inject trabecular micro-bypass stents with topical prostaglandin as standalone treatment for open-angle glaucoma: 4-year outcomes. *Clin Experiment Ophthalmol.* 2020;48(6):767-774.
37. Lindstrom R, Sarkisian SR, Lewis R, et al. Four-year outcomes of two second-generation trabecular micro-bypass stents in patients with open-angle glaucoma on one medication. 2020;14:71-80.
38. Hayes, Inc. Hayes Health Technology Assessment. *iStent inject trabecular micro-bypass stent (Glaukos Corp.) as a standalone procedure for open-angle glaucoma.* Lansdale, PA: Hayes, Inc.; 09/17/2019.
39. Hayes, Inc. Hayes Health Technology Assessment. *iStent inject trabecular micro-bypass stent (Glaukos Corp.) in combination with cataract surgery for management of open-angle glaucoma.* Lansdale, PA: Hayes, Inc.; 07/02/2019.