

References

S-5048

1. Niemeyer P, Pestka JM, Kreuz PC, et al. Characteristic complications after autologous chondrocyte implantation for cartilage defects of the knee joint. *Am J Sports Med.* Nov 2008; 36(11): 2091-9. PMID 18801942
2. Free online Modified Cincinnati Knee Rating System calculator. OrthoToolKit. <https://www.orthotoolkit.com/cincinnati/>. Accessed February 16, 2022.
3. Greco NJ, Anderson AF, Mann BJ, et al. Responsiveness of the International Knee Documentation Committee Subjective Knee Form in comparison to the Western Ontario and McMaster Universities Osteoarthritis Index, modified Cincinnati Knee Rating System, and Short Form 36 in patients with focal articular cartilage defects. *Am J Sports Med.* May 2010; 38(5): 891-902. PMID 20044494
4. Gusi N, Olivares PR, Rajendram R. The EQ-5D Health-Related Quality of Life Questionnaire [Abstract]. In: Preedy VR, Watson RR, eds. *Handbook of Disease Burdens and Quality of Life Measures.* New York: Springer; 2010:87-89.
5. Roos EM, Engelhart L, Ranstam J, et al. ICRS Recommendation Document: Patient-Reported Outcome Instruments for Use in Patients with Articular Cartilage Defects. *Cartilage.* Apr 2011; 2(2): 122-36. PMID 26069575
6. Roos EM, Lohmander LS. The Knee injury and Osteoarthritis Outcome Score (KOOS): from joint injury to osteoarthritis. *Health Qual Life Outcomes.* Nov 03 2003; 1: 64. PMID 14613558
7. Collins NJ, Misra D, Felson DT, et al. Measures of knee function: International Knee Documentation Committee (IKDC) Subjective Knee Evaluation Form, Knee Injury and Osteoarthritis Outcome Score (KOOS), Knee Injury and Osteoarthritis Outcome Score Physical Function Short Form (KOOS-PS), Knee Outcome Survey Activities of Daily Living Scale (KOS-ADL), Lysholm Knee Scoring Scale, Oxford Knee Score (OKS), Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), Activity Rating Scale (ARS), and Tegner Activity Score (TAS). *Arthritis Care Res (Hoboken).* Nov 2011; 63 Suppl 11: S208-28. PMID 22588746
8. Lee WC, Kwan YH, Chong HC, et al. The minimal clinically important difference for Knee Society Clinical Rating System after total knee arthroplasty for primary osteoarthritis. *Knee Surg Sports Traumatol Arthrosc.* Nov 2017; 25(11): 3354-3359. PMID 27324635
9. Clement ND, MacDonald D, Simpson AH. The minimal clinically important difference in the Oxford knee score and Short Form 12 score after total knee

- arthroplasty. *Knee Surg Sports Traumatol Arthrosc.* Aug 2014; 22(8): 1933-9. PMID 24253376
10. Copay AG, Eyberg B, Chung AS, et al. Minimum Clinically Important Difference: Current Trends in the Orthopaedic Literature, Part II: Lower Extremity: A Systematic Review. *JBJS Rev.* Sep 2018; 6(9): e2. PMID 30179898
 11. Bin Abd Razak HR, Acharyya S, Tan SM, et al. Predictors of Midterm Outcomes after Medial Unicompartmental Knee Arthroplasty in Asians. *Clin Orthop Surg.* Dec 2017; 9(4): 432-438. PMID 29201296
 12. Lee WC, Bin Abd Razak HR, Allen JC, et al. Achieving Minimum Clinically Important Difference in Oxford Knee Score and Short Form-36 Physical Component Summary Is Less Likely with Single-Radius Compared with Multiradius Total Knee Arthroplasty in Asians. *J Knee Surg.* Mar 2019; 32(3): 227-232. PMID 29635649
 13. Abraamyan T, Johnson AJ, Wiedrick J, et al. Marrow Stimulation Has Relatively Inferior Patient-Reported Outcomes in Cartilage Restoration Surgery of the Knee: A Systematic Review and Meta-analysis of Randomized Controlled Trials. *Am J Sports Med.* Apr 23 2021: 3635465211003595. PMID 33890799
 14. Zamborsky R, Danisovic L. Surgical Techniques for Knee Cartilage Repair: An Updated Large-Scale Systematic Review and Network Meta-analysis of Randomized Controlled Trials. *Arthroscopy.* Mar 2020; 36(3): 845-858. PMID 32139062
 15. Riboh JC, Cvetanovich GL, Cole BJ, et al. Comparative efficacy of cartilage repair procedures in the knee: a network meta-analysis. *Knee Surg Sports Traumatol Arthrosc.* Dec 2017; 25(12): 3786-3799. PMID 27605128
 16. Devitt BM, Bell SW, Webster KE, et al. Surgical treatments of cartilage defects of the knee: Systematic review of randomised controlled trials. *Knee.* Jun 2017; 24(3): 508-517. PMID 28189406
 17. Mundi R, Bedi A, Chow L, et al. Cartilage Restoration of the Knee: A Systematic Review and Meta-analysis of Level 1 Studies. *Am J Sports Med.* Jul 2016; 44(7): 1888-95. PMID 26138733
 18. Gou GH, Tseng FJ, Wang SH, et al. Autologous Chondrocyte Implantation Versus Microfracture in the Knee: A Meta-analysis and Systematic Review. *Arthroscopy.* Jan 2020; 36(1): 289-303. PMID 31708355
 19. Mistry H, Connock M, Pink J, et al. Autologous chondrocyte implantation in the knee: systematic review and economic evaluation. *Health Technol Assess.* Feb 2017; 21(6): 1-294. PMID 28244303
 20. Harris JD, Siston RA, Pan X, et al. Autologous chondrocyte implantation: a systematic review. *J Bone Joint Surg Am.* Sep 15 2010; 92(12): 2220-33. PMID 20844166

21. Sacolick DA, Kirven JC, Abouljoud MM, et al. The Treatment of Adult Osteochondritis Dissecans with Autologous Cartilage Implantation: A Systematic Review. *J Knee Surg.* Nov 2019; 32(11): 1102-1110. PMID 30396204
22. Bartlett W, Skinner JA, Gooding CR, et al. Autologous chondrocyte implantation versus matrix-induced autologous chondrocyte implantation for osteochondral defects of the knee: a prospective, randomised study. *J Bone Joint Surg Br.* May 2005; 87(5): 640-5. PMID 15855365
23. Saris D, Price A, Widuchowski W, et al. Matrix-Applied Characterized Autologous Cultured Chondrocytes Versus Microfracture: Two-Year Follow-up of a Prospective Randomized Trial. *Am J Sports Med.* Jun 2014; 42(6): 1384-94. PMID 24714783
24. Brittberg M, Recker D, Ilgenfritz J, et al. Matrix-Applied Characterized Autologous Cultured Chondrocytes Versus Microfracture: Five-Year Follow-up of a Prospective Randomized Trial. *Am J Sports Med.* May 2018; 46(6): 1343-1351. PMID 29565642
25. Basad E, Ishaque B, Bachmann G, et al. Matrix-induced autologous chondrocyte implantation versus microfracture in the treatment of cartilage defects of the knee: a 2-year randomised study. *Knee Surg Sports Traumatol Arthrosc.* Apr 2010; 18(4): 519-27. PMID 20062969
26. Basad E, Wissing FR, Fehrenbach P, et al. Matrix-induced autologous chondrocyte implantation (MACI) in the knee: clinical outcomes and challenges. *Knee Surg Sports Traumatol Arthrosc.* Dec 2015; 23(12): 3729-35. PMID 25218576
27. Schuette HB, Kraeutler MJ, McCarty EC. Matrix-Assisted Autologous Chondrocyte Transplantation in the Knee: A Systematic Review of Mid- to Long-Term Clinical Outcomes. *Orthop J Sports Med.* Jun 2017; 5(6): 2325967117709250. PMID 28620621
28. Meyerkort D, Ebert JR, Ackland TR, et al. Matrix-induced autologous chondrocyte implantation (MACI) for chondral defects in the patellofemoral joint. *Knee Surg Sports Traumatol Arthrosc.* Oct 2014; 22(10): 2522-30. PMID 24817164
29. Zak L, Aldrian S, Wondrasch B, et al. Ability to return to sports 5 years after matrix-associated autologous chondrocyte transplantation in an average population of active patients. *Am J Sports Med.* Dec 2012; 40(12): 2815-21. PMID 23108635
30. Ebert JR, Fallon M, Wood DJ, et al. A Prospective Clinical and Radiological Evaluation at 5 Years After Arthroscopic Matrix-Induced Autologous Chondrocyte Implantation. *Am J Sports Med.* Jan 2017; 45(1): 59-69. PMID 27587741

31. Ebert JR, Fallon M, Zheng MH, et al. A randomized trial comparing accelerated and traditional approaches to postoperative weightbearing rehabilitation after matrix-induced autologous chondrocyte implantation: findings at 5 years. *Am J Sports Med.* Jul 2012; 40(7): 1527-37. PMID 22539536
32. Ebert JR, Smith A, Edwards PK, et al. Factors predictive of outcome 5 years after matrix-induced autologous chondrocyte implantation in the tibiofemoral joint. *Am J Sports Med.* Jun 2013; 41(6): 1245-54. PMID 23618699
33. Ebert JR, Schneider A, Fallon M, et al. A Comparison of 2-Year Outcomes in Patients Undergoing Tibiofemoral or Patellofemoral Matrix-Induced Autologous Chondrocyte Implantation. *Am J Sports Med.* Dec 2017; 45(14): 3243-3253. PMID 28910133
34. Harris JD, Cavo M, Brophy R, et al. Biological knee reconstruction: a systematic review of combined meniscal allograft transplantation and cartilage repair or restoration. *Arthroscopy.* Mar 2011; 27(3): 409-18. PMID 21030203
35. Andriolo L, Merli G, Filardo G, et al. Failure of Autologous Chondrocyte Implantation. *Sports Med Arthrosc Rev.* Mar 2017; 25(1): 10-18. PMID 28045868
36. Nawaz SZ, Bentley G, Briggs TW, et al. Autologous chondrocyte implantation in the knee: mid-term to long-term results. *J Bone Joint Surg Am.* May 21 2014; 96(10): 824-30. PMID 24875023
37. Minas T, Von Keudell A, Bryant T, et al. The John Insall Award: A minimum 10-year outcome study of autologous chondrocyte implantation. *Clin Orthop Relat Res.* Jan 2014; 472(1): 41-51. PMID 23979923
38. Minas T, Gomoll AH, Rosenberger R, et al. Increased failure rate of autologous chondrocyte implantation after previous treatment with marrow stimulation techniques. *Am J Sports Med.* May 2009; 37(5): 902-8. PMID 19261905
39. Ebert JR, Smith A, Fallon M, et al. Incidence, degree, and development of graft hypertrophy 24 months after matrix-induced autologous chondrocyte implantation: association with clinical outcomes. *Am J Sports Med.* Sep 2015; 43(9): 2208-15. PMID 26163536
40. Niemeyer P, Salzmann G, Schmal H, et al. Autologous chondrocyte implantation for the treatment of chondral and osteochondral defects of the talus: a meta-analysis of available evidence. *Knee Surg Sports Traumatol Arthrosc.* Sep 2012; 20(9): 1696-703. PMID 22037894
41. Hu M, Li X, Xu X. Efficacy and safety of autologous chondrocyte implantation for osteochondral defects of the talus: a systematic review and meta-analysis. *Arch Orthop Trauma Surg.* Jun 14 2021. PMID 34128117
42. Shimozono Y, Yasui Y, Ross AW, et al. Scaffolds based therapy for osteochondral lesions of the talus: A systematic review. *World J Orthop.* Oct 18 2017; 8(10): 798-808. PMID 29094011

43. American Academy of Orthopaedic Surgeons. Clinical Practice Guideline on the Diagnosis and Treatment of Osteochondritis Dissecans. Rosemont, IL: AAOS; 2010.
44. National Institute for Health and Care Excellence (NICE). Autologous chondrocyte implantation for treating symptomatic articular cartilage defects of the knee [TA508]. 2018; <https://www.nice.org.uk/guidance/TA508/chapter/1-Recommendations>. Accessed February 16, 2022.