

References

S-71

1. Photodynamic Therapy (PDT). American Society for Dermatologic Surgery. Published 2015.
2. Roozeboom MH, Arits AH, Mosterd K, et al. Three-year follow-up results of photodynamic therapy vs. imiquimod vs. fluorouracil for treatment of superficial basal cell carcinoma: a single-blind, noninferiority, randomized controlled trial. *J Invest Dermatol*. Aug 2016;136(8):1568-1574.
3. Effron j, Aliazzi H, Garcia-Zuauaga J. Current evidence and applications of photodynamic therapy in dermatology: part 1 cutaneous neoplasms. *J Derm Nurs Assoc*. 2015 May/June;7(3):145-151.
4. Cohen D, Lee P. Photodynamic Therapy for non-melanoma skin cancers. *Cancers(basal)*. 2016 Oct;8(10):90.
5. National Comprehensive Cancer Network (NCCN). NCCN Clinical Practice Guidelines in Oncology. Basal cell skin cancer. Version.1.2018.
6. Gracia-Cazana T, Mascaraque M, Lucena. SR, Vera-Alvarez J, Gonzalez S, Juarranz A, et al. (2019) Biomarkers of basal cell carcinoma resistance to methyl-aminolevulinate photodynamic therapy. *PLoS ONE* 14(4):e0215537.
7. Griffin L, Lear J. Photodynamic therapy and non-melanoma skin cancer. *Cancers*. 2016;8(98):1-13.
8. Nissen C, Heerford I, Wiegell S, Mikkelsen C, Wulf H. Pretreatment with 5-Flourouracil crea, enhances the efficacy of daylight-mediated photodynamic therapy for actinic keratosis. *Acta Derm Veneriol*. 2017;97:617-621.