

References

S-9

1. Amonoo-Kuofi K, Kelly A, Neeff M, et al. Experience of bone-anchored hearing aid implantation in children younger than 5 years of age. *Int J Pediatr Otorhinolaryngol*. 2015; 79(4): 474-480.
2. American Academy of Otolaryngology-Head and Neck Surgery. Position Statement: Bone Conduction Hearing Devices. September 17, 2016. Accessed January 16, 2019.
3. Kara A, Iseri M, Durgut M, Topdag M, Ozturk M. Comparing audiological test results obtained from a sound processor attached to a Softband with direct and magnetic passive bone conduction hearing implant systems. *Eur Arch Otorhinolaryngol* 2016; 273(12):4193-4198.
4. American Academy of Otolaryngology-Head and Neck Surgery. Position Statement: Active Middle Ear Implants. September 17, 2016. Accessed January 17, 2019.
5. Lundin K, Stillesjö F, Nyberg G, Rask-Andersen H. Self-reported benefit, sound perception, and quality-of-life in patients with auditory brainstem implants (ABIs). *Acta Oto-Laryngol*. 2016; 136(1):62-67.
6. Dimitriadis PA, Farr MR, Allam A, Ray J. Three year experience with the cochlear BAHA attract implant: a systematic review of the literature. *BMC Ear Nose Throat Disord*. 2016;16:12.
7. Crowson, MG; Tucci D.\L. Mini Review of the Cost-Effectiveness of Unilateral Osseointegrated Implants in Adults: Possibly Cost-Effective for the Correct Indication *Audiol Neurotol* 2016;21:69-71.
8. Wong K., Kozin E, Kanumuri K et al., Auditory Brainstem Implants: Recent Progress and Future Perspectives. *Neurosci*. 2019:13:10.
9. Shokri T, Czarnecki B, Baker A, Isildak H. Hearing Rehabilitation Implementing a Transcutaneous Bone Conduction Device: Single-Center Experience. *Ear Nose Throat J*. 2019,(9).