

## References

### S-9003

1. Schuller DE, Schleuning II AJ. DeWeese and Saunders' Otolaryngology-Head and Neck Surgery. 8th ed. St. Louis, MO: Mosby; 1994:216-217.
2. Welch KJ, Randolph JG, Ravitch MM, et al., eds. Pediatric Surgery. 4th ed. Chicago, IL: Year Book Medical Publishers, Inc; 1986:511.
3. Marmet C, Shell E, Marmet R. Neonatal frenotomy may be necessary to correct breast feeding problems. *J Hum Lact.* 1990;6(3):117-121.
4. Messner AH, Lalakea ML, Aby J, et al. Ankyloglossia: Incidence and associated feeding difficulties. *Arch Otolaryngol Head Neck Surg.* 2000;126(1):36-39.
5. Masaitis NS, Kaempf JW. Developing a frenotomy policy at one medical center: A case study approach. *J Hum Lact.* 1996;12(3):229-232.
6. Wright JE. Tongue-tie. *J Paediatr Child Health.* 1995;31(4):276-278.
7. Messner AH, Lalakea ML. Ankyloglossia: Controversies in management. *Int J Pediatr Otorhinolaryngol.* 2000;54(2-3):123-131.
8. Kotlow LA. Ankyloglossia (tongue-tie): A diagnostic and treatment quandary. *Quintessence Int.* 1999;30(4):259-262.
9. Newkirk GR. Tongue-tie snipping (frenotomy) for ankyloglossia. In: Procedures for Primary Care Physicians. 1st ed. JL Pfenninger, ed., St Louis, MO: Mosby-Year Book Inc; 1994:287-290.
10. Messner AH, Lalakea ML. The effect of ankyloglossia on speech in children. *Otolaryngol Head Neck Surg.* 2002;127(6):539-545.
11. Ballard JL, Auer CE, Khoury JC. Ankyloglossia: Assessment, incidence, and effect of frenuloplasty on the breastfeeding dyad. *Pediatrics.* 2002;110(5):e63.
12. Community Paediatrics Committee. Ankyloglossia and breastfeeding. Canadian Paediatric Society Position Statement. *Paediatr Child Health.* 2002;7(4):269-270.
13. Lalakea ML, Messner AH. Ankyloglossia: Does it matter? *Pediatr Clin North Am.* 2003;50(2):381-397.
14. Dolberg S, Botzer E, Grunis E, Mimouni F. A randomized, prospective, blinded clinical trial with cross-over of frenotomy in ankyloglossia: Effect on breast-feeding difficulties. *Pediatr Res.* 2002;52(5):822-827.
15. Kupietzky A, Botzer E. Ankyloglossia in the infant and young child: Clinical suggestions for diagnosis and management. *Pediatr Dent.* 2005;27(1):40-46.
16. National Institute for Health and Clinical Excellence (NICE). Division of ankyloglossia (tongue-tie) for breast feeding. Interventional Procedure Guidance 149. London, UK: NICE; December 2005.

16. Dollberg S, Botzer E, Grunis E, Mimouni FB. Immediate nipple pain relief after frenotomy in breast-fed infants with ankyloglossia: A randomized, prospective study. *J Pediatr Surg.* 2006;41(9):1598-1600.
17. Segal LM, Stephenson R, Dawes M, Feldman P. Prevalence, diagnosis, and treatment of ankyloglossia: Methodologic review. *Can Fam Physician.* 2007;53(6):1027-1033.
18. Aras MH, Göregen M, Güngörümüş M, Akgül HM. Comparison of diode laser and Er:YAG lasers in the treatment of ankyloglossia. *Photomed Laser Surg.* 2010;28(2):173-177.
19. American Academy of Pediatric Dentistry (AAPD). Guideline on pediatric oral surgery. Chicago, IL: American Academy of Pediatric Dentistry (AAPD); 2010.
20. Pie-Sánchez J, Espana-Tost AJ, Arnabat-Domínguez J, Gay-Escoda C. Comparative study of upper lip frenectomy with the CO<sub>2</sub> laser versus the Er, Cr:YSGG laser. *Med Oral Patol Oral Cir Bucal.* 2012;17(2):e228-e232.
21. Buryk M, Bloom D, Shope T. Efficacy of neonatal release of ankyloglossia: A randomized trial. *Pediatrics.* 2011;128(2):280-288.
22. Rowan-Legg A; Community Paediatrics Committee, Canadian Paediatrics Society. Ankyloglossia and breastfeeding. Position Statement. Ottawa, ON: Canadian Paediatric Society; April 1, 2011 (reaffirmed February 1, 2014).
23. Olivi G, Signore A, Olivi M, Genovese MD. Lingual frenectomy: Functional evaluation and new therapeutical approach. *Eur J Paediatr Dent.* 2012;13(2):101-106.
24. Steehler MW, Steehler MK, Harley EH. A retrospective review of frenotomy in neonates and infants with feeding difficulties. *Int J Pediatr Otorhinolaryngol.* 2012;76(9):1236-1240.
25. O'Callahan C, Macary S, Clemente S. The effects of office-based frenotomy for anterior and posterior ankyloglossia on breastfeeding. *Int J Pediatr Otorhinolaryngol.* 2013;77(5):827- 832.
26. Reddy NR, Marudhappan Y, Devi R, Narang S. Clipping the (tongue) tie. *J Indian Soc Periodontol.* 2014;18(3):395-398.
27. Ito Y. Does frenotomy improve breast-feeding difficulties in infants with ankyloglossia? *Pediatr Int.* 2014;56(4):497-505.
28. Toner D, Giordano T, Handler SD. Office frenotomy for neonates: Resolving dysphagia, parental satisfaction and cost-effectiveness. *ORL Head Neck Nurs.* 2014;32(2):6-7. Page 13 of 16 3/5/2020
29. Webb AN, Hao W, Hong P. The effect of tongue-tie division on breastfeeding and speech articulation: A systematic review. *Int J Pediatr Otorhinolaryngol.* 2013;77(5):635-646.
30. Brookes A, Bowley DM. Tongue tie: The evidence for frenotomy. *Early Hum Dev.* 2014;90 (11):765-768.

31. Chinnadurai S, Francis DO, Epstein RA, et al. Treatment of ankyloglossia for reasons other than breastfeeding: A systematic review. *Pediatrics*. 2015;135(6):e1467-e1474.
32. Francis DO, Chinnadurai S, Morad A, et al. Treatments for ankyloglossia and ankyloglossia with concomitant lip-tie. Comparative Effectiveness Reviews, No. 149. Report No.: 15- EHC011-EF. Rockville, MD: Agency for Healthcare Research and Quality (AHRQ); May 2015.
33. Veyssiére A, Kun-Darbois JD, Paulus C, et al. Diagnosis and management of ankyloglossia in young children. *Rev Stomatol Chir Maxillofac Chir Orale*. 2015;116(4):215-220.
34. Ovental A, Marom R, Botzer E, et al. Using topical benzocaine before lingual frenotomy did not reduce crying and should be discouraged. *Acta Paediatr*. 2014;103(7):780-782.
35. Ferres-Amat E, Pastor-Vera T, Ferres-Amat E, et al. Multidisciplinary management of ankyloglossia in childhood. Treatment of 101 cases. A protocol. *Med Oral Patol Oral Cir Bucal*. 2016a;21(1):e39-e47.
36. Ferres-Amat E, Pastor-Vera T, Rodríguez-Alessi P, et al. Management of ankyloglossia and breastfeeding difficulties in the newborn: Breastfeeding sessions, myofunctional therapy, and frenotomy. *Case Rep Pediatr*. 2016b;2016:3010594.
37. Canadian Agency for Drugs and Technologies in Health (CADTH). Frenectomy for the correction of ankyloglossia: A review of clinical effectiveness and guidelines. CADTH Rapid Response Reports. Ottawa, ON: Canadian Agency for Drugs and Technologies in Health; June 2016.
38. Shavit I, Peri-Front Y, Rosen-Walther A, et al. A randomized trial to evaluate the effect of two topical anesthetics on pain response during frenotomy in young infants. *Pain Med*. 2017;18(2):356-362.
39. Komori S, Matsumoto K, Matsuo K, et al. Clinical study of laser treatment for frenectomy of pediatric patients. *Int J Clin Pediatr Dent*. 2017;10(3):272-277.
40. O'Shea JE, Foster JP, O'Donnell CP, et al. Frenotomy for tongue-tie in newborn infants. *Cochrane Database Syst Rev*. 2017;3:CD011065.
41. Muldoon K, Gallagher L, McGuinness D, Smith V. Effect of frenotomy on breastfeeding variables in infants with ankyloglossia (tongue-tie): A prospective before and after cohort study. *BMC Pregnancy Childbirth*. 2017;17(1):373.
42. Olivi M, Genovese MD, Olivi G. Laser labial frenectomy: A simplified and predictable technique. Retrospective clinical study. *Eur J Paediatr Dent*. 2018;19(1):56-60.
43. Belmehdi A, Harti KE, Wady WE. Ankyloglossia as an oral functional problem and its surgical management. *Dent Med Probl*. 2018;55(2):213-216.

44. Calisir M, Ege B. Evaluation of patient perceptions after frenectomy operations: A comparison of neodymium-doped yttrium aluminum garnet laser and conventional techniques in the same patients. *Niger J Clin Pract.* 2018;21(8):1059-1064.
45. Ghaheri BA, Cole M, Mace JC. Revision lingual frenotomy improves patient-reported breastfeeding outcomes: A prospective cohort study. *J Hum Lact.* 2018;34(3):566-574.
46. Campbell J. Frenotomy for tongue-tie in newborn infants. *Int J Nurs Stud.* 2019;91:146-147.
47. Bahadure RN, Jain E, Singh P, et al. Labial ankyloglossia: A rare case report. *Contemp Clin Dent.* 2016;7(4):555-557.
48. Ghaheri BA, Cole M, Fausel SC, et al. Breastfeeding improvement following tongue-tie and lip-tie release: A prospective cohort study. *Laryngoscope.* 2017;127(5):1217-1223.
49. Huang WJ, Creath CJ. The midline diastema: a review of its etiology and treatment. *Pediatr Dent.* 1995;17(3):171-179.
50. Komori S, Matsumoto K, Matsuo K, et al. Clinical study of laser treatment for frenectomy of pediatric patients. *Int J Clin Pediatr Dent.* 2017;10(3):272-277.
51. Suter VG, Bornstein MM. Ankyloglossia: Facts and myths in diagnosis and treatment. *J. Periodontol.* 2009;80(8):1204-1219.