

References

X-5023

1. Dreyfuss P, Michaelsen M, Pauza K, et al. The value of medical history and physical examination in diagnosing sacroiliac joint pain. *Spine (Phila Pa 1976)*. Nov 15 1996;21(22):2594-2602. PMID 8961447
2. Simopoulos TT, Manchikanti L, Gupta S et al. Systematic Review of the Diagnostic Accuracy and Therapeutic Effectiveness of Sacroiliac Joint Interventions. *Pain Physician*, 2015 Oct 3;18(5). PMID 26431129
3. Manchikanti L, Abdi S, Atluri S, et al. An update of comprehensive evidence-based guidelines for interventional techniques in chronic spinal pain. Part II: guidance and recommendations. *Pain Physician*. Apr 2013;16(2 Suppl): S49-283. PMID 23615883
4. Manchikanti L, Datta S, Derby R, et al. A critical review of the American Pain Society clinical practice guidelines for interventional techniques: part 1. Diagnostic interventions. *Pain Physician*. May-Jun 2010;13(3): E141-174. PMID 20495596
5. Manchikanti L, Datta S, Gupta S, et al. A critical review of the American Pain Society clinical practice guidelines for interventional techniques: part 2. Therapeutic interventions. *Pain Physician*. Jul-Aug 2010;13(4): E215-264. PMID 20648212
6. Rupert MP, Lee M, Manchikanti L, et al. Evaluation of sacroiliac joint interventions: a systematic appraisal of the literature. *Pain Physician*. Mar-Apr 2009;12(2):399-418. PMID 19305487
7. Chou R, Atlas SJ, Stanos SP, et al. Nonsurgical interventional therapies for low back pain: a review of the evidence for an American Pain Society clinical practice guideline. *Spine (Phila Pa 1976)*. May 1 2009;34(10):1078-1093. PMID 19363456
8. Chou R, Loeser JD, Owens DK, et al. Interventional therapies, surgery, and interdisciplinary rehabilitation for low back pain: an evidence-based clinical practice guideline from the American Pain Society. *Spine (Phila Pa 1976)*. May 1 2009;34(10):1066-1077. PMID 19363457
9. Hansen H, Manchikanti L, Simopoulos TT, et al. A systematic evaluation of the therapeutic effectiveness of sacroiliac joint interventions. *Pain Physician*. May-Jun 2012;15(3): E247-278. PMID 22622913
10. Visser LH, Woudenberg NP, de Bont J, et al. Treatment of the sacroiliac joint in patients with leg pain: a randomized controlled trial. *Eur Spine J*. Oct 2013;22(10):2310-2317. PMID 23720124

11. Kim WM, Lee HG, Jeong CW, et al. A randomized controlled trial of intra-articular prolotherapy versus steroid injection for sacroiliac joint pain. *J Altern Complement Med.* Dec 2010;16(12):1285-1290. PMID 21138388
12. Kennedy DJ, Engel A, Kreiner DS, et al. Fluoroscopically guided diagnostic and therapeutic intra-articular sacroiliac joint injections: a systematic review. *Pain Med.* Aug 2015;16(8):1500-1518. PMID 26178855
13. Chen CH, Weng PW, Wu LC et al. Radiofrequency neurotomy in chronic lumbar and sacroiliac joint pain: A meta-analysis. *Medicine (Baltimore)*, 2019 Jul 3;98(26). PMID 31261580
14. Sun HH, Zhuang SY, Hong X et al. The efficacy and safety of using cooled radiofrequency in treating chronic sacroiliac joint pain: A PRISMA-compliant meta-analysis. *Medicine (Baltimore)*, 2018 Feb 9;97(6). PMID 29419679
15. Aydin SM, Gharibo CG, Mehnert M, et al. The role of radiofrequency ablation for sacroiliac joint pain: a meta-analysis. *PM R.* Sep 2010;2(9):842-851. PMID 20869684
16. Mehta V, Poply K, Husband M et al. The Effects of Radiofrequency Neurotomy Using a Strip-Lesioning Device on Patients with Sacroiliac Joint Pain: Results from a Single-Center, Randomized, Sham-Controlled Trial. *Pain Physician*, 2018 Dec 5;21(6). PMID 30508988
17. Juch JNS, Maas ET, Ostelo R, et al. Effect of radiofrequency denervation on pain intensity among patients with chronic low back pain: The Mint Randomized Clinical Trials. *JAMA.* Jul 04 2017;318(1):68-81. PMID 28672319
18. van Tilburg CW, Schuurmans FA, Stronks DL, et al. Randomized sham-controlled double-blind multicenter clinical trial to ascertain the effect of percutaneous radiofrequency treatment for sacroiliac joint pain: three-month results. *Clin J Pain.* Nov 2016;32(11):921-926. PMID 26889616
19. Zheng Y, Gu M, Shi D, et al. Tomography-guided palisade sacroiliac joint radiofrequency neurotomy versus celecoxib for ankylosing spondylitis: an open-label, randomized, and controlled trial. *Rheumatol Int.* Sep 2014;34(9):1195-1202. PMID 24518967
20. Patel N, Gross A, Brown L, et al. A randomized, placebo-controlled study to assess the efficacy of lateral branch neurotomy for chronic sacroiliac joint pain. *Pain Med.* Mar 2012;13(3):383-398. PMID 22299761 Patel N. Twelve-month follow-up of a randomized trial assessing cooled radiofrequency denervation as a treatment for sacroiliac region pain. *Pain Pract.* Feb 2016;16(2):154-167. PMID 25565322
21. Whang P, Cher D, Polly D, et al. Sacroiliac joint fusion using triangular titanium implants vs non-surgical management: six-month outcomes from a prospective randomized controlled trial. *Int J Spine Surg.* Mar 2015;9:6. PMID 25785242

22. Polly DW, Cher DJ, Wine KD, et al. Randomized controlled trial of minimally invasive sacroiliac joint fusion using triangular titanium implants vs nonsurgical management for sacroiliac joint dysfunction: 12-month outcomes. *Neurosurgery*. Nov 2015;77(5):674-691. PMID 26291338
23. Polly DW, Swofford J, Whang PG, et al. Two-year outcomes from a randomized controlled trial of minimally invasive sacroiliac joint fusion vs non-surgical management for sacroiliac joint dysfunction. *Int J Spine Surg*. Sep 2016;10:28. PMID 27652199
24. Darr E, Meyer SC, Whang PG et al. Long-term prospective outcomes after minimally invasive trans-iliac sacroiliac joint fusion using triangular titanium implants. *Med Devices (Auckl)*, 2018 Apr 21;11:113-121. PMID 29674852
25. Stuesson B, Kools D, Pflugmacher R, et al. Six-month outcomes from a randomized controlled trial of minimally invasive SI joint fusion with triangular titanium implants vs conservative management. *Eur Spine J*. Mar 2017;26(3):708-719. PMID 27179664
26. Dengler J, Stuesson B, Kools D, et al. Referred leg pain originating from the sacroiliac joint: 6-month outcomes from the prospective randomized controlled iMIA trial. *Acta Neurochir (Wien)*. Nov 2016;158(11):2219-2224. PMID 27629371
27. Dengler JD, Kools D, Pflugmacher R, et al. 1-Year results of a randomized controlled trial of conservative management vs minimally invasive surgical treatment for sacroiliac joint pain. *Pain Physician*. Sep 2017;20(6):537-550. PMID 28934785
28. Duhon BS, Cher DJ, Wine KD, et al. Triangular titanium implants for minimally invasive sacroiliac joint fusion: a prospective study. *Global Spine J*. May 2016;6(3):257-269. PMID 27099817
29. Duhon BS, Bitan F, Lockstadt H, et al. Triangular titanium implants for minimally invasive sacroiliac joint fusion: 2-year follow-up from a prospective multicenter trial. *Int J Spine Surg*. May 2016;10:13. PMID 27162715
30. Vanaclocha V, Herrera JM, Saiz-Sapena N, et al. Minimally invasive sacroiliac joint fusion, radiofrequency denervation, and conservative management for sacroiliac joint pain: 6-year comparative case series. *Neurosurgery*. Apr 20 2017. PMID 28431026
31. Spain K, Holt T. Surgical revision after sacroiliac joint fixation or fusion. *Int J Spine Surg*. Apr 2017;11:5. PMID 28377863
32. Sachs D, Kovalsky D, Redmond A, et al. Durable intermediate-to long-term outcomes after minimally invasive transiliac sacroiliac joint fusion using triangular titanium implants. *Med Devices (Auckl)*. Jul 2016;9:213-222. PMID 27471413

33. Schoell K, Buser Z, Jakoi A, et al. Postoperative complications in patients undergoing minimally invasive sacroiliac fusion. *Spine J*. Nov 2016;16(11):1324-1332. PMID 27349627
34. Tran ZV, Ivashchenko A, Brooks L. Sacroiliac Joint Fusion Methodology - Minimally Invasive Compared to Screw-Type Surgeries: A Systematic Review and Meta-Analysis. *Pain Physician*, 2019 Feb 1;22(1). PMID 30700066
35. Rappoport LH, Luna IY, Joshua G. Minimally Invasive sacroiliac joint fusion using a novel hydroxyapatite-coated screw: preliminary 1-year clinical and radiographic results of a 2-year prospective study. *World Neurosurg*. May 2017;101:493-497. PMID 28216399
36. Araghi A, Woodruff R, Colle K et al. Pain and Opioid use Outcomes Following Minimally Invasive Sacroiliac Joint Fusion with Decortication and Bone Grafting: The Evolusion Clinical Trial. *Open Orthop J*, 2017 Dec 27;11:1440-1448. PMID 29387289
37. Cross WW, Delbridge A, Hales D et al. Minimally Invasive Sacroiliac Joint Fusion: 2-Year Radiographic and Clinical Outcomes with a Principles-Based SIJ Fusion System. *Open Orthop J*, 2018 Feb 13;12:7-16. PMID 29430266
38. North American Spine Society (NASS). NASS coverage policy recommendations: Percutaneous sacroiliac joint fusion. 2015; <https://www.spine.org/ProductDetails?productid={9EAC3FC6-AF81-E611-851E-005056AF031E}>. Accessed October 7, 2019.
39. American Society of Anesthesiologists Task Force on Chronic Pain Management, American Society of Regional Anesthesia and Pain Medicine. Practice guidelines for chronic pain management: an updated report by the American Society of Anesthesiologists Task Force on Chronic Pain Management and the American Society of Regional Anesthesia and Pain Medicine. *Anesthesiology*. Apr 2010;112(4):810-833. PMID 20124882
40. Lorio MP, Rashbaum R. ISASS policy statement - minimally invasive sacroiliac joint fusion. *Int J Spine Surg*. Feb 2014;8. PMID 25694942
41. Lorio MP. ISASS policy statement -- Minimally invasive sacroiliac joint fusion (July 2016). 2016; <http://www.isass.org/public-policy/isass-policy-statement-minimally-invasive-sacroiliac-joint-fusion-july-2016/> Accessed October 7, 2019.
42. National Institute for Health and Care Excellence. Minimally invasive sacroiliac joint fusion surgery for chronic sacroiliac pain [IPG578]. 2017; <https://www.nice.org.uk/guidance/ipg578>. Accessed October 7, 2019.