

References

S-180

1. Zhou S, Estrera A, Loubser P, et al. Autologous platelet-rich plasma reduces transfusions during ascending aortic arch repair: A prospective, randomized, controlled trial. *Ann Thorac Surg.* 2015; 99:1282–90.
2. Picard F, Hersant B, Bosc R, et al. The growing evidence for the use of platelet-rich plasma on diabetic chronic wounds: A review and a proposal for a new standard care. *Wound Repair & Regeneration.* 2015;23(5):638–643.
3. Serraino G, Cominijanni A, Jiritano F, et Platelet-rich plasma inside the sternotomy wound reduces the incidence of sternal wound infections. *Int Wound J.* 2015;12(3):260-264.
4. S. Food and Drug Administration. Guidance for Industry, Chronic Cutaneous Ulcer and Burn Wounds - Developing Products for Treatment. ed2006. Available at www.fda.gov.
5. Qaseem A, Humphrey LL, Forcica MA, et al. Treatment of pressure ulcers: A clinical practice guideline from the American College of Physicians. *Ann Intern Med.* 2015;162(5):370-379.
6. Association for the Advancement of Wound Care (AAWC). AAWC Guideline: Pressure Available at www.aawconline.org.
7. National Institute for Health and Clinical Excellence (NICE). Diabetic foot problems: prevention and management [NG19].
8. Johnson A. Taking a Fresh Look at Regranex Gel. *Podiatry Management.* August 2015;34(6):93-
9. Available from: CINAHL Plus with Full Text, Ipswich, MA. Accessed January 19, 2018.
9. Wang Y, Appiah-Kubi K, Chen Y, et al. The platelet-derived growth factors (PDGFs) and their receptors (PDGFRs) are major players in oncogenesis, drug resistance, and attractive oncologic targets in cancer. *Growth Factors (Chur, Switzerland).* 2016;34(1-2):64-71.

10. Gilligan A, Waycaster C, Motley T. Cost-effectiveness of becaplermin gel on wound healing of diabetic foot ulcers. *Wound Repair Regen.* 2015;23(3):353-360.
11. Marck R, Gardien K, Middelkoop E, et al. The application of platelet-rich plasma in the treatment of deep dermal burns: A randomized, double-blind, intra-patient controlled study. *Wound Repair Regen.* 2016;24(4):712-720.
12. Autologous platelet-rich plasma (PRP) for chronic wounds. Cochrane. May 25, 2016. Accessed February 5,
13. Lavery L, Davis K, Attinger C, et al. WHS guidelines update: Diabetic foot ulcer treatment guidelines. *Wound Repair Regen.* 2016;24(1):112-126.
14. Association for the Advancement of Wound Care (AAWC) Guideline of Pressure Ulcer Guidelines. Malvern, Pennsylvania: Association for the Advancement of Wound Care (AAWC) 2010. Accessed January 22,
15. Sridharan K Growth factors for diabetic foot ulcers: mixed treatment comparison analysis of randomized clinical trials. *Br J Clin Pharmacol.* 2018;84(3):434-444. doi: 10.1111/bcp.13470. Epub 2018 Jan 5. PMID: 29148070.
16. Martinez-Zapata MJ, Marti-Carvajal AJ, Sola I, et al. Autologous platelet-rich plasma for treating chronic wounds. *Cochrane Database Syst Rev.* 2016(5):CD006899. PMID 27223580.
17. Escamilla Cardenosa M, Dominguez-Maldonado G, Cordoba-Fernandez A. Efficacy and safety of the use of platelet-rich plasma to manage venous ulcers. *J Tissue Viability.* Nov 29 2016. PMID 27955807.
18. Zhou SF, Estrera AL, Loubser P, et al. Autologous platelet-rich plasma reduces transfusions during ascending aortic arch repair: a prospective, randomized, controlled *Ann Thorac Surg.* 2015;99(4):1282-1290. PMID 25661906.
19. El-Anwar MW, Nofal AA, Khalifa M, et al. Use of autologous platelet-rich plasma in complete cleft palate repair. *Laryngoscope.* 2016;126(7):1524-1528. PMID 27075516.
20. Alamdari DH AM, Rahim AN, et al. Efficacy and Safety of Pleurodesis Using Platelet-Rich Plasma and Fibrin Glue in Management of Postoperative

Chylothorax After Esophagectomy. *World J Surg.* 2018;42(4):1046-1055.
PMID: 28986682.

21. Marck RE, Gardien KL, Stekelenburg CM, et al. The application of platelet-rich plasma in the treatment of deep dermal burns: A randomized, double-blind, intra-patient controlled study. *Wound Repair Regen.* 2016;24(4):712-720.
PMID
22. Yeung CY HP, Wei LG, Hsia LC, Dai LG, Fu KY, Dai NT. Efficacy of Lyophilised Platelet-Rich Plasma Powder on Healing Rate in Patients With Deep Second Degree Burn Injury: A Prospective Double-Blind Randomized Clinical Trial. *Ann Plast Surg.* 2018;80(2S Suppl 1):S66- S69. PMID: 29369904.
23. Suthar M, Gupta S, Buhgari S, Ponemone V. Treatment of chronic non-healing ulcers using autologous platelet rich plasma: A case series. *J of Biomed Sci.* 2017;24:16.
24. Gude W, Hagan D, Abood F, Clausen P. Aurix gel is an effective intervention for chronic diabetic foot ulcers: A pragmatic randomized controlled trial. *Adv Skin and Wound Care.* 2019;32(9)416-426.