References

S-187

- 1. Zigler J, Delamarter R. Fewer secondary surgeries following ProDisc-C after ACDF at 7 years: analysis of multiple covariates in the US-FDA-IDE multi-center study. *Cervical Spine Research Society*. 2012.
- Park C, Ryu K, Lee K, et al. Clinical outcome of lumbar total disc replacement using ProDisc-L in degenerative disc disease: minimum 5-year follow-up results at a single institute. *The Spine Journal.* 2012;37(8):672-677.
- 3. Zigler J, Delamarter R. Five-year results of the prospective, randomized, multicenter, Food and Drug Administration investigational device exemption study of the ProDisc-L total disc replacement versus circumferential arthrodesis for the treatment of single-level degenerative disc disease. *Journal of Neurosurgery; Spine.* 2012;17(6):493-501.
- 4. Singh K, Phillips FM, Park DK, et al. Factors affecting reoperations after anterior cervical discectomy and fusion within and outside of a federal drug administration investigational device exemption cervical disc replacement trial. *Spine J.* 2012 May;12(5):372-8.
- 5. Coppes M, Bakker N, Metzemaekers, Groen R. Posterior transdural discectomy: a new approach for the removal of a central thoracic disc herniation. *Eur Spine J*. Apr 2012;21(4):623-628.
- 6. Murrey, D, Zigler J, Delamarter R, et al. Seven-year results of the ProDisc-C multicenter randomized clinical trial. *The Spine Journal*. 2012;12(9):S61-S62. (Abstract).
- 7. Nica D, Copaciu R. Cervical arthroplasty using ProDisc-C Case Report. *Journal of Medicine and Life*. 2013;6(1):97-98.
- 8. InterQual® Level of Care Criteria. Acute Care Adult. McKesson Health Solutions, LLC.
- Meir A, Freeman B, Fraser R, et al. Ten-year survival and clinical outcome of the AcroFlex lumbar disc replacement for the treatment of symptomatic disc degeneration. *The Spine Journal*. 2013;13:13-21.
- 10. Eisner W. First and only two-level cervical disc approved in U.S. *Orthopedics This Week*. August 27, 2013.
- Blumenthal S, Ohnmeiss D, Guyer R, et al. Long-term evaluation of reoperation rates for lumbar total disc replacement and fusion: Analysis of 1,237 patients. *The Spine Journal*. September 2013;13(9):95S.
- Davis RJ, Kim KD, Hisey MS, et al. Cervical total disc replacement with the Mobi-C cervical artificial disc compared with anterior discectomy and fusion for treatment of 2-level symptomatic degenerative disc disease: A prospective, randomized, controlled multicenter clinical trial: clinical article. J Neurosurg Spine. 2013;19(5):532-45.
- 13. Sköld C, Tropp H, Berg S. Five-year follow-up of total disc replacement compared to fusion: a randomized controlled trial. *European Spine Journal*. October 2013;22(10):2288-2295.
- 14. Wei J, Song Y, Sun L, et al. Comparison of artificial total disc replacement versus fusion for lumbar degenerative disc disease: A meta-analysis of randomized controlled trials. *International Orthopaedics*. July 2013;37(7):1315-1325.

- 15. Delamarter, R, Zigler J. Five-year reoperation rates, cervical total disc replacement versus fusion, results of a prospective randomized clinical trial. *Spine*. 2013;38(9):711-717.
- Huppert J, Beaurain J, Steib JP, et al. Comparison between single- and multi-level patients: clinical and radiological outcomes 2 years after cervical disc replacement. *Eur Spine J. 2011*; 20(9):1417-1426
- 17. Beaurain J, Bernard P, Dufour T, et al. Intermediate clinical and radiological results of cervical TDR (Mobi-C) with up to 2 years of follow-*up. Eur Spine J.* 2009:18(6):841-50
- Skeppholm M, Oleud C. Comparison of dysphagia between cervical artificial disc replacement and fusion: data from a randomized controlled study with two years of follow-up. *Spine.* 2013: 38(24): E1507-E1510
- 19. Davis R, Nunley PD, Kim KD, et al. Two-level total disc replacement with Mobi-C cervical artificial disc versus anterior discectomy and fusion: A prospective, randomized, controlled multicenter clinical trial with 4-year follow-up results. *J Neurosurg Spine*. 2014:(11);1-11.
- 20. North American Spine Society (NASS). 2014. Cervical artificial disc replacement.
- 21. North American Spine Society (NASS). 2014. Lumbar artificial disc replacement.
- Ament J, Yang Z, Nunley P, et al. Cost-effectiveness of cervical total disc replacement vs fusion for the treatment of 2-level symptomatic degenerative disc disease. JAMA Surgery. 2014;149:1231-1239
- Alvin M, Mroz T. The Mobi-C cervical disc for one-level and two-level cervical disc replacement: A review of the literature. *Medical Devices: Evidence and Research*. 2014;7:397-403.
- 24. Hisey M, Bae H, Davis R, et al. Multi-center, prospective, randomized, controlled investigational device exemption clinical trial comparing Mobi-C cervical artificial disc to anterior discectomy and fusion in the treatment of symptomatic degenerative disc disease in the cervical spine. *Int J Spine Surg.* 2014;8:7.
- 25. Medical Treatment Guidelines. Washington State Department of Labor and Industries. Diagnosis and Treatment of Cervical Radiculopathy and Myelopathy. 2014.
- Burkus, J, Mummaneni P, Traynelis V et al. Clinical and radiographic analysis of an artificial cervical disc: Seven-year outcomes. *International Society of the Advancement of Spine Surgery*. (Abstract). 2014;21(4)516-528.
- 27. Thavaneswaran P, Vandepeer M. Lumbar artificial intervertebral disc replacement: a systematic review. *ANZ Journal of Surgery*. 2014;84(3):121-127.
- 28. Chen L, Li K. Effect of cervical artificial disc replacement on adjacent inferior intervertebral space stress. *The West Indian Medical Journal*. 2014;63(2):172-175.
- 29. Zhang J, et al. Hybrid Surgery versus Anterior Cervical Discectomy and Fusion in Multilevel Cervical Disc. *Medicine(Baltimore)*. 2016;95(21):1-8.
- 30. Ji Gyu et al. Artificial Disc Replacement Combined with Fusion versus 2-Level Fusion in Cervical 2-Level Disc Disease with a 5-Year Follow-up. *Clin Spine Surg.* 2016:30(5);E620-627

- 31. Tain P, Fu X, Li Z-J, Sun X, Ma X-L. Hybrid Surgery versus anterior cervical discectomy and fusion for multilevel cervical degenerative disc diseases: a meta-analysis. *Scientific Reports*. 2015;5:13434.
- 32. Joaquim A, Riew K. Multilevel cervical arthroplasty: current evidence: a systematic review. *J Neuro* [serial online]. 2017;42(2):1.
- Davis R, et al. Cervical total disc replacement with the Mobi-C cervical artificial disc compared with anterior discectomy and fusion for treatment of 2-level symptomatic degenerative disc disease: a prospective, randomized, controlled multicenter clinical trial. *J Neuro: Spine*. 2013;19(5):532-545.
- Radcliff K, Coric D, Albert T. Five-year clinical results of cervical total disc replacement compared with anterior discectomy and fusion for treatment of 2-level symptomatic degenerative disc disease: a prospective, randomized, controlled, multicenter investigational device exemption clinical trial. *J Neurol: Spine*. 2016;25(2):213-223.
- 35. Aghayev E, Etter C, Röder C, et al. Five-year results of lumbar disc prostheses in the SWISSspine registry. *Eur Spine J*. 2014;23(10):2114-2126.
- Siepe C, Heider F, Mayer M, et al. Influence of lumbar intervertebral disc degeneration on the outcome of total lumbar disc replacement: a prospective clinical, histological, X-ray and MRI investigation. *Eur Spine J.* 2012;21(11):2287-2299.
- Nie H, Chen G, Wang X, Zeng J. Comparison of Total Disc Replacement with lumbar fusion: a meta-analysis of randomized controlled trials. *Journal of The College of Physicians and Surgeons--Pakistan: JCPSP* [serial online]. 2015;25(1):60-67.