

## References

### S-203

1. InterQual<sup>®</sup> Level of Care Criteria 2019. Acute Care Adult. McKesson Health Solutions, LLC.
2. Jones TK, Rome JJ, Armstrong AK, et al. Transcatheter pulmonary valve replacement reduces tricuspid regurgitation in patients with right ventricular volume/pressure overload. *J Am Coll Cardiol*. 2016;1525-1535.
3. Lindsay I, Aboulhosn J, Salem M, et al. Aortic root compression during transcatheter pulmonary valve replacement. *Cathet Cardiovasc Interventions Diagn*. 2016.88:814- 821
4. Zablah J, Misra N, Gruber D, et al. Comparison of patients undergoing surgical versus transcatheter pulmonary valve replacement: Criteria for referral and mid-term outcome. *Pediatr Cardiol*. 2017;38:603-607.
5. Chatterjee A, Baja N, McMahon W, et al. Transcatheter pulmonary valve implantation: A comprehensive systemic review and meta-analyses of observational studies. *JAHA*. 2017; 6(8):e006432.
6. Alkashkari W, AlRahimi J, Albugami S, et al. Transcatheter pulmonary valve replacement: The venus P valve - Current status. *JSHD*. 2018;4(1):1-8.
7. Markham R, Challa A, Kyranis S, et al. Outcomes following melody transcatheter pulmonary valve implantation for right ventricular outflow tract dysfunction in repaired congenital heart disease: First reported Australian single centre experience. *Heart Lung Circ*. 2017;26(10):1085-1093.
8. McElhinney DB, Cabalka AK, Aboulhosn JA, et al. Transcatheter tricuspid valve-in-valve implantation for the treatment of dysfunctional surgical bioprosthetic valves: An international, multicenter registry study. *Circ*. 2016;133(16):1582-1593.
9. Boudjemline Y, Malekzadeh-Milani S, Patel M, et al. Predictors and outcomes of right ventricular outflow tract conduit rupture during percutaneous pulmonary valve implantation: A multicentre study. *EuroIntervention*. 2016;11(9):1053-1062.
10. Van Dijck I, Budts W, Cools B, et al. Infective endocarditis of a transcatheter pulmonary valve in comparison with surgical implants. *Heart*. 2015;101(10):788-793.
11. O'Donnell C, Holloway R, Tilton E, Infective endocarditis following Melody valve implantation: comparison with a surgical cohort. *Cardiol Young*. 2017;27(2):294-301.
12. Nishimura RA, Otto CM, Bonow RO, et al. 2017 AHA/ACC Focused update of the 2014 AHA/ACC guideline for the management of patients with valvular heart disease: A report of the American College of

- Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *J Am Coll Cardiol*. 2017;70(2):252-289.
13. Hayes, Inc. Hayes Health Technology Assessment. *Percutaneous pulmonary valve implantation for right ventricular outflow tract defects*. Lansdale, PA: Hayes, Inc. 01/14/2016.
  14. Food and Drug Administration. Summary of safety and probable benefit: Melody transcatheter pulmonary valve and ensemble transcatheter valve delivery system. 2010. June 2021.
  15. Food and Drug Administration. Summary of safety and effectiveness data (SSED): Edwards SAPIEN XT™ transcatheter heart valve. 2016. Accessed June 2021.
  16. Food and Drug Administration. Summary of safety and effectiveness data: Melody™ transcatheter pulmonary valve, models pb1016 and pb1018; Ensemble™ transcatheter valve delivery system 2017. Accessed June 2021
  17. Food and Drug Administration. Conditions for approval for an HDE: Medtronic melody transcatheter pulmonary valve (Model PB 10) and medtronic ensemble transcatheter valve delivery system (NU10) (H080002). 2010. Accessed June 2021.
  18. Food and Drug Administration. Summary of safety and effectiveness data: Melody™ transcatheter pulmonary valve. 2015. Accessed June 2021.
  19. Hayes, Inc. Hayes Medical Technology Directory Report. *Comparative effectiveness review of transcatheter aortic valve implantation (TAVI) and surgical aortic/ valve replacement (SAVR) for aortic stenosis in lower risk patients*. Lansdale, PA: Hayes, Inc.; 08/2020.
  20. Hayes, Inc. Hayes Medical Technology Directory Report. *Percutaneous mitral valve repair for secondary (functional) mitral valve regurgitation in high-risk adults*. Lansdale, PA: Hayes, Inc.; 12/2020.
  21. Hayes, Inc. Hayes Medical Technology Directory Report. *Transcatheter mitral valve replacement for mitral regurgitation*. Lansdale, PA: Hayes, Inc.; 12/2020.