

References

S-5025

1. Eldabe S, Buchser E, Duarte RV. Complications of Spinal Cord Stimulation and Peripheral Nerve Stimulation Techniques: A Review of the Literature. *Pain Med.* Feb 2016; 17(2): 325-36. PMID 26814260
2. Sivanesan E, Bicket MC, Cohen SP. Retrospective analysis of complications associated with dorsal root ganglion stimulation for pain relief in the FDA MAUDE database. *Reg Anesth Pain Med.* Jan 2019; 44(1): 100-106. PMID 30640660
3. U.S. Food and Drug Administration. Conduct a trial stimulation period before implanting a spinal cord stimulator (SCS) - letter to health care providers. September 3, 2020. <https://www.fda.gov/medical-devices/letters-health-care-providers/conduct-trial-stimulation-period-implanting-spinal-cord-stimulator-scs-letter-health-care-providers>. Accessed March 3, 2022.
4. Food and Drug Administration. Cordis Programmable Neural Stimulator: Premarket Approval. Accessed February 28, 2022.
5. Turk DC, Dworkin RH, Allen RR, et al. Core outcome domains for chronic pain clinical trials: IMMPACT recommendations. *Pain.* Dec 2003; 106(3): 337-345. PMID 14659516
6. Dworkin RH, Turk DC, Farrar JT, et al. Core outcome measures for chronic pain clinical trials: IMMPACT recommendations. *Pain.* Jan 2005; 113(1-2): 9-19. PMID 15621359
7. Dworkin RH, Turk DC, Wyrwich KW, et al. Interpreting the clinical importance of treatment outcomes in chronic pain clinical trials: IMMPACT recommendations. *J Pain.* Feb 2008; 9(2): 105-21. PMID 18055266
8. Kerns RD, Turk DC, Rudy TE. The West Haven-Yale Multidimensional Pain Inventory (WHYMPI). *Pain.* Dec 1985; 23(4): 345-356. PMID 4088697
9. Cleeland CS, Ryan KM. Pain assessment: global use of the Brief Pain Inventory. *Ann Acad Med Singap.* Mar 1994; 23(2): 129-38. PMID 8080219
10. Fairbank JC, Pynsent PB. The Oswestry Disability Index. *Spine (Phila Pa 1976).* Nov 15 2000; 25(22): 2940-52; discussion 2952. PMID 11074683
11. Ostelo RW, Deyo RA, Stratford P, et al. Interpreting change scores for pain and functional status in low back pain: towards international consensus regarding minimal important change. *Spine (Phila Pa 1976).* Jan 01 2008; 33(1): 90-4. PMID 18165753
12. Wells GA, Tugwell P, Kraag GR, et al. Minimum important difference between patients with rheumatoid arthritis: the patient's perspective. *J Rheumatol.* Mar 1993; 20(3): 557-60. PMID 8478873

13. Kosinski M, Zhao SZ, Dedhiya S, et al. Determining minimally important changes in generic and disease-specific health-related quality of life questionnaires in clinical trials of rheumatoid arthritis. *Arthritis Rheum.* Jul 2000; 43(7): 1478-87. PMID 10902749
14. Angst F, Aeschlimann A, Stucki G. Smallest detectable and minimal clinically important differences of rehabilitation intervention with their implications for required sample sizes using WOMAC and SF-36 quality of life measurement instruments in patients with osteoarthritis of the lower extremities. *Arthritis Rheum.* Aug 2001; 45(4): 384-91. PMID 11501727
15. Beck AT, R.A. Beck Depression Inventory. San Antonio, TX: Psychological Corporation; 1993.
16. Curran SL, Andrykowski MA, Studts JL. Short Form of the Profile of Mood States (POMS-SF): Psychometric information. *Psychol Assess* 1995;7:80-83.
17. Visnjevac O, Costandi S, Patel BA, et al. A Comprehensive Outcome-Specific Review of the Use of Spinal Cord Stimulation for Complex Regional Pain Syndrome. *Pain Pract.* Apr 2017; 17(4): 533-545. PMID 27739179
18. O'Connell NE, Wand BM, McAuley J, et al. Interventions for treating pain and disability in adults with complex regional pain syndrome. *Cochrane Database Syst Rev.* Apr 30 2013; (4): CD009416. PMID 23633371
19. Grider JS, Manchikanti L, Carayannopoulos A, et al. Effectiveness of Spinal Cord Stimulation in Chronic Spinal Pain: A Systematic Review. *Pain Physician.* Jan 2016; 19(1): E33-54. PMID 26752493
20. Head J, Mazza J, Sabourin V, et al. Waves of Pain Relief: A Systematic Review of Clinical Trials in Spinal Cord Stimulation Waveforms for the Treatment of Chronic Neuropathic Low Back and Leg Pain. *World Neurosurg.* Nov 2019; 131: 264-274.e3. PMID 31369885
21. Duarte RV, Nevitt S, Maden M, et al. Spinal cord stimulation for the management of painful diabetic neuropathy: a systematic review and meta-analysis of individual patient and aggregate data. *Pain.* Nov 01 2021; 162(11): 2635-2643. PMID 33872236
22. Henson JV, Varhabhatla NC, Bebic Z, et al. Spinal Cord Stimulation for Painful Diabetic Peripheral Neuropathy: A Systematic Review. *Pain Ther.* Dec 2021; 10(2): 895-908. PMID 34244979
23. Raghu ALB, Parker T, Aziz TZ, et al. Invasive Electrical Neuromodulation for the Treatment of Painful Diabetic Neuropathy: Systematic Review and Meta-Analysis. *Neuromodulation.* Jan 2021; 24(1): 13-21. PMID 32588933
24. Strand NH, Burkey AR. Neuromodulation in the Treatment of Painful Diabetic Neuropathy: A Review of Evidence for Spinal Cord Stimulation. *J Diabetes Sci Technol.* Mar 2022; 16(2): 332-340. PMID 34842478

25. O'Connell NE, Ferraro MC, Gibson W, et al. Implanted spinal neuromodulation interventions for chronic pain in adults. *Cochrane Database Syst Rev*. Dec 02 2021; 12: CD013756. PMID 34854473
26. North RB, Kidd DH, Farrokhi F, et al. Spinal cord stimulation versus repeated lumbosacral spine surgery for chronic pain: a randomized, controlled trial. *Neurosurgery*. 2005; 56(1): 98-106; discussion 106-7. PMID 15617591
27. Kumar K, Taylor RS, Jacques L, et al. Spinal cord stimulation versus conventional medical management for neuropathic pain: a multicentre randomised controlled trial in patients with failed back surgery syndrome. *Pain*. Nov 2007; 132(1-2): 179-88. PMID 17845835
28. Kumar K, Taylor RS, Jacques L, et al. The effects of spinal cord stimulation in neuropathic pain are sustained: a 24-month follow-up of the prospective randomized controlled multicenter trial of the effectiveness of spinal cord stimulation. *Neurosurgery*. Oct 2008; 63(4): 762-70; discussion 770. PMID 18981888
29. Kemler MA, Barendse GA, van Kleef M, et al. Spinal cord stimulation in patients with chronic reflex sympathetic dystrophy. *N Engl J Med*. Aug 31 2000; 343(9): 618-24. PMID 10965008
30. Kemler MA, De Vet HC, Barendse GA, et al. The effect of spinal cord stimulation in patients with chronic reflex sympathetic dystrophy: two years' follow-up of the randomized controlled trial. *Ann Neurol*. Jan 2004; 55(1): 13-8. PMID 14705107
31. Kemler MA, de Vet HC, Barendse GA, et al. Effect of spinal cord stimulation for chronic complex regional pain syndrome Type I: five-year final follow-up of patients in a randomized controlled trial. *J Neurosurg*. Feb 2008; 108(2): 292-8. PMID 18240925
32. Slangen R, Schaper NC, Faber CG, et al. Spinal cord stimulation and pain relief in painful diabetic peripheral neuropathy: a prospective two-center randomized controlled trial. *Diabetes Care*. Nov 2014; 37(11): 3016-24. PMID 25216508
33. de Vos CC, Meier K, Zaalberg PB, et al. Spinal cord stimulation in patients with painful diabetic neuropathy: a multicentre randomized clinical trial. *Pain*. Nov 2014; 155(11): 2426-31. PMID 25180016
34. Duarte RV, Andronis L, Lenders MW, et al. Quality of life increases in patients with painful diabetic neuropathy following treatment with spinal cord stimulation. *Qual Life Res*. Jul 2016; 25(7): 1771-7. PMID 26694963
35. Rigoard P, Basu S, Desai M, et al. Multicolumn spinal cord stimulation for predominant back pain in failed back surgery syndrome patients: a multicenter randomized controlled trial. *Pain*. Jun 2019; 160(6): 1410-1420. PMID 30720582

36. Hou S, Kemp K, Grabois M. A Systematic Evaluation of Burst Spinal Cord Stimulation for Chronic Back and Limb Pain. *Neuromodulation*. Jun 2016; 19(4): 398-405. PMID 27139915
37. De Ridder D, Plazier M, Kamerling N, et al. Burst spinal cord stimulation for limb and back pain. *World Neurosurg*. Nov 2013; 80(5): 642-649.e1. PMID 23321375
38. De Ridder D, Vanneste S, Plazier M, et al. Burst spinal cord stimulation: toward paresthesia-free pain suppression. *Neurosurgery*. May 2010; 66(5): 986-90. PMID 20404705
39. Schu S, Slotty PJ, Bara G, et al. A prospective, randomised, double-blind, placebo-controlled study to examine the effectiveness of burst spinal cord stimulation patterns for the treatment of failed back surgery syndrome. *Neuromodulation*. Jul 2014; 17(5): 443-50. PMID 24945621
40. Kriek N, Groeneweg JG, Stronks DL, et al. Preferred frequencies and waveforms for spinal cord stimulation in patients with complex regional pain syndrome: A multicentre, double-blind, randomized and placebo-controlled crossover trial. *Eur J Pain*. Mar 2017; 21(3): 507-519. PMID 27714945
41. Deer T, Slavin KV, Amirdelfan K, et al. Success Using Neuromodulation With BURST (SUNBURST) Study: Results From a Prospective, Randomized Controlled Trial Using a Novel Burst Waveform. *Neuromodulation*. Jan 2018; 21(1): 56-66. PMID 28961366
42. Eldabe S, Duarte R, Gulve A, et al. Analgesic Efficacy of "Burst" and Tonic (500 Hz) Spinal Cord Stimulation Patterns: A Randomized Placebo-Controlled Crossover Study. *Neuromodulation*. Apr 2021; 24(3): 471-478. PMID 33251662
43. Bicket MC, Dunn RY, Ahmed SU. High-Frequency Spinal Cord Stimulation for Chronic Pain: Pre-Clinical Overview and Systematic Review of Controlled Trials. *Pain Med*. Dec 2016; 17(12): 2326-2336. PMID 28025366
44. Perruchoud C, Eldabe S, Batterham AM, et al. Analgesic efficacy of high-frequency spinal cord stimulation: a randomized double-blind placebo-controlled study. *Neuromodulation*. Jul-Aug 2013; 16(4): 363-9; discussion 369. PMID 23425338
45. Kapural L, Yu C, Doust MW, et al. Novel 10-kHz High-frequency Therapy (HF10 Therapy) Is Superior to Traditional Low-frequency Spinal Cord Stimulation for the Treatment of Chronic Back and Leg Pain: The SENZA-RCT Randomized Controlled Trial. *Anesthesiology*. Oct 2015; 123(4): 851-60. PMID 26218762
46. Petersen EA, Stauss TG, Scowcroft JA, et al. Effect of High-frequency (10-kHz) Spinal Cord Stimulation in Patients With Painful Diabetic Neuropathy: A Randomized Clinical Trial. *JAMA Neurol*. Jun 01 2021; 78(6): 687-698. PMID 33818600

47. De Andres J, Monsalve-Dolz V, Fabregat-Cid G, et al. Prospective, Randomized Blind Effect-on-Outcome Study of Conventional vs High-Frequency Spinal Cord Stimulation in Patients with Pain and Disability Due to Failed Back Surgery Syndrome. *Pain Med.* Dec 01 2017; 18(12): 2401-2421. PMID 29126228
48. Petersen EA, Stauss TG, Scowcroft JA, et al. Durability of High-Frequency 10-kHz Spinal Cord Stimulation for Patients With Painful Diabetic Neuropathy Refractory to Conventional Treatments: 12-Month Results From a Randomized Controlled Trial. *Diabetes Care.* Jan 01 2022; 45(1): e3-e6. PMID 34844993
49. Kapural L, Yu C, Doust MW, et al. Comparison of 10-kHz High-Frequency and Traditional Low-Frequency Spinal Cord Stimulation for the Treatment of Chronic Back and Leg Pain: 24-Month Results From a Multicenter, Randomized, Controlled Pivotal Trial. *Neurosurgery.* Nov 2016; 79(5): 667-677. PMID 27584814
50. Al-Kaisy A, Palmisani S, Smith TE, et al. Long-Term Improvements in Chronic Axial Low Back Pain Patients Without Previous Spinal Surgery: A Cohort Analysis of 10-kHz High-Frequency Spinal Cord Stimulation over 36 Months. *Pain Med.* Jun 01 2018; 19(6): 1219-1226. PMID 29077889
51. Vuka I, Marcius T, Dosenovic S, et al. Neuromodulation with electrical field stimulation of dorsal root ganglion in various pain syndromes: a systematic review with focus on participant selection. *J Pain Res.* 2019; 12: 803-830. PMID 30881093.
52. Deer TR, Hunter CW, Mehta P, et al. A Systematic Literature Review of Dorsal Root Ganglion Neurostimulation for the Treatment of Pain. *Pain Med.* Aug 01 2020; 21(8): 1581-1589. PMID 32803221
53. Moman RN, Peterson AA, Maher DP, et al. Infectious Complications of Dorsal Root Ganglion Stimulation: A Systematic Review and Pooled Analysis of Incidence. *Neuromodulation.* Jun 06 2021. PMID 34096135
54. Food and Drug Administration. Summary of Safety and Effectiveness Data (SSED): Axium Neurostimulator System. 2016; https://www.accessdata.fda.gov/cdrh_docs/pdf15/P150004b.pdf. Accessed March 3, 2022.
55. Deer TR, Levy RM, Kramer J, et al. Dorsal root ganglion stimulation yielded higher treatment success rate for complex regional pain syndrome and causalgia at 3 and 12 months: a randomized comparative trial. *Pain.* Apr 2017; 158(4): 669-681. PMID 28030470
56. Mekhail N, Deer TR, Kramer J, et al. Paresthesia-Free Dorsal Root Ganglion Stimulation: An ACCURATE Study Sub-Analysis. *Neuromodulation.* Feb 2020; 23(2): 185-195. PMID 30861286

57. Weiner RL, Yeung A, Montes Garcia C, et al. Treatment of FBSS Low Back Pain with a Novel Percutaneous DRG Wireless Stimulator: Pilot and Feasibility Study. *Pain Med.* Oct 2016; 17(10): 1911-1916. PMID 27125284
58. Ubbink DT, Vermeulen H. Spinal cord stimulation for non-reconstructable chronic critical leg ischaemia. *Cochrane Database Syst Rev.* Feb 28 2013; (2): CD004001. PMID 23450547
59. Klomp HM, Steyerberg EW, Habbema JD, et al. What is the evidence on efficacy of spinal cord stimulation in (subgroups of) patients with critical limb ischemia?. *Ann Vasc Surg.* May-Jun 2009; 23(3): 355-63. PMID 19128928
60. Klomp HM, Spincemaille GH, Steyerberg EW, et al. Spinal-cord stimulation in critical limb ischaemia: a randomised trial. ESES Study Group. *Lancet.* Mar 27 1999; 353(9158): 1040-4. PMID 10199350
61. Abu Dabrh AM, Steffen MW, Asi N, et al. Nonrevascularization-based treatments in patients with severe or critical limb ischemia. *J Vasc Surg.* Nov 2015; 62(5): 1330-9.e13. PMID 26409842
62. Pan X, Bao H, Si Y, et al. Spinal Cord Stimulation for Refractory Angina Pectoris: A Systematic Review and Meta-analysis. *Clin J Pain.* Jun 2017; 33(6): 543-551. PMID 27875377
63. Tsigaridas N, Naka K, Tsapogas P, et al. Spinal cord stimulation in refractory angina. A systematic review of randomized controlled trials. *Acta Cardiol.* Apr 2015; 70(2): 233-43. PMID 26148385
64. Zipes DP, Svorkdal N, Berman D, et al. Spinal cord stimulation therapy for patients with refractory angina who are not candidates for revascularization. *Neuromodulation.* Nov-Dec 2012; 15(6): 550-8; discussion 558-9. PMID 22494013
65. Lanza GA, Grimaldi R, Greco S, et al. Spinal cord stimulation for the treatment of refractory angina pectoris: a multicenter randomized single-blind study (the SCS-ITA trial). *Pain.* Jan 2011; 152(1): 45-52. PMID 21084162
66. Torre-Amione G, Alo K, Estep JD, et al. Spinal cord stimulation is safe and feasible in patients with advanced heart failure: early clinical experience. *Eur J Heart Fail.* Jul 2014; 16(7): 788-95. PMID 24961194
67. Zipes DP, Neuzil P, Theres H, et al. Determining the Feasibility of Spinal Cord Neuromodulation for the Treatment of Chronic Systolic Heart Failure: The DEFEAT-HF Study. *JACC Heart Fail.* Feb 2016; 4(2): 129-136. PMID 26682789
68. Lihua P, Su M, Zejun Z, et al. Spinal cord stimulation for cancer-related pain in adults. *Cochrane Database Syst Rev.* Feb 28 2013; (2): CD009389. PMID 23450600
69. Peng L, Min S, Zejun Z, et al. Spinal cord stimulation for cancer-related pain in adults. *Cochrane Database Syst Rev.* Jun 29 2015; (6): CD009389. PMID 26121600

70. Mekhail NA, Mathews M, Nageeb F, et al. Retrospective review of 707 cases of spinal cord stimulation: indications and complications. *Pain Pract.* Mar-Apr 2011; 11(2): 148-53. PMID 21371254
71. Lanza GA, Barone L, Di Monaco A. Effect of spinal cord stimulation in patients with refractory angina: evidence from observational studies. *Neuromodulation.* Nov-Dec 2012; 15(6): 542-9; discussion 549. PMID 22364309
72. Deer T, Pope J, Hunter C, et al. Safety Analysis of Dorsal Root Ganglion Stimulation in the Treatment of Chronic Pain. *Neuromodulation.* Feb 2020; 23(2): 239-244. PMID 30861617
73. Dworkin RH, O'Connor AB, Kent J, et al. Interventional management of neuropathic pain: NeuPSIG recommendations. *Pain.* Nov 2013; 154(11): 2249-2261. PMID 23748119
74. Manchikanti L, Abdi S, Atluri S, et al. An update of comprehensive evidence-based guidelines for interventional techniques in chronic spinal pain. Part II: guidance and recommendations. *Pain Physician.* Apr 2013; 16(2 Suppl): S49-283. PMID 23615883
75. Aman MM, Mahmoud A, Deer T, et al. The American Society of Pain and Neuroscience (ASPN) Best Practices and Guidelines for the Interventional Management of Cancer-Associated Pain. *J Pain Res.* 2021; 14: 2139-2164. PMID 34295184
76. Deer TR, Pope JE, Lamer TJ, et al. The Neuromodulation Appropriateness Consensus Committee on Best Practices for Dorsal Root Ganglion Stimulation. *Neuromodulation.* Jan 2019; 22(1): 1-35. PMID 30246899
77. National Institute for Health and Care Excellence (NICE). Spinal cord stimulation for chronic pain of neuropathic or ischaemic origin [TA159]. 2008; <https://www.nice.org.uk/guidance/ta159>. Accessed March 2, 2022.
78. Centers for Medicare and Medicaid Services. National Coverage Determination (NCD) for Electrical Nerve Stimulators (160.7). 1995; <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=240&ncdver=1&bc=AAAAgAAAAAAAAA&>. Accessed March 3, 2022.