

References

S-5025

1. Eldabe, SS, Buchser, EE, Duarte, RR. Complications of Spinal Cord Stimulation and Peripheral Nerve Stimulation Techniques: A Review of the Literature. *Pain Med*, 2016 Jan 28;17(2). PMID 26814260.
2. Sivanesan, EE, Bicket, MM, Cohen, SS. Retrospective analysis of complications associated with dorsal root ganglion stimulation for pain relief in the FDA MAUDE database. *Reg Anesth Pain Med*, 2019 Jan 15;44(1). PMID 30640660.
3. Turk DC, Dworkin RH, Allen RR, et al. Core outcome domains for chronic pain clinical trials: IMMPACT recommendations. *Pain*. Dec 2003;106(3):337-345. PMID 14659516.
4. Dworkin RH, Turk DC, Farrar JT, et al. Core outcome measures for chronic pain clinical trials: IMMPACT recommendations. *Pain*. Jan 2005;113(1-2):9-19. PMID 15621359.
5. Dworkin RH, Turk DC, Wyrwich KW, et al. Interpreting the clinical importance of treatment outcomes in chronic pain clinical trials: IMMPACT recommendations. *J Pain*. Feb 2008;9(2):105-121. PMID 18055266.
6. Kerns RD, Turk DC, Rudy TE. The West Haven-Yale Multidimensional Pain Inventory (WHYMPI). *Pain*. Dec 1985;23(4):345-356. PMID 4088697.
7. Cleeland CS, Ryan KM. Pain assessment: global use of the Brief Pain Inventory. *Ann Acad Med Singapore*. Mar 1994;23(2):129-138. PMID 8080219.
8. Fairbank JC, Pynsent PB. The Oswestry Disability Index. *Spine (Phila Pa 1976)*. Nov 15 2000;25(22):2940-2952; discussion 2952. PMID 11074683.
9. Ostelo RW, Deyo RA, Stratford P, et al. Interpreting change scores for pain and functional status in low back pain: towards international consensus regarding minimal important change. *Spine (Phila Pa 1976)*. Jan 1 2008;33(1):90-94. PMID 18165753.
10. Wells GA, Tugwell P, Kraag GR, et al. Minimum important difference between patients with rheumatoid arthritis: the patient's perspective. *J Rheumatol*. Mar 1993;20(3):557-560. PMID 8478873.
11. Kosinski M, Zhao SZ, Dedhiya S, et al. Determining minimally important changes in generic and disease-specific health-related quality of life questionnaires in clinical trials of rheumatoid arthritis. *Arthritis Rheum*. Jul 2000;43(7):1478-1487. PMID 10902749.
12. Angst F, Aeschlimann A, Stucki G. Smallest detectable and minimal clinically important differences of rehabilitation intervention with their implications for required sample sizes using WOMAC and SF-36 quality of life measurement

- instruments in patients with osteoarthritis of the lower extremities. *Arthritis Rheum.* Aug 2001;45(4):384-391. PMID 11501727.
13. Beck AT, R.A. Beck Depression Inventory. San Antonio, TX: Psychological Corporation; 1993.
 14. Curran SL, Andrykowski MA, Studts JL. Short Form of the Profile of Mood States (POMSSF): Psychometric information. *Psychol Assess* 1995;7:80-83
 15. Food and Drug Administration. Summary of Safety and Effectiveness Data (SSED): Senza Spinal Cord Stimulation (SCS) System 2015; https://www.accessdata.fda.gov/cdrh_docs/pdf13/P130022b.pdf. Accessed March 4, 2019.
 15. North RB, Kidd DH, Farrokhi F, et al. Spinal cord stimulation versus repeated lumbosacral spine surgery for chronic pain: a randomized, controlled trial. *Neurosurgery.* Dec 2005;56(1):98-106; discussion 106-107. PMID 15617591.
 16. Kumar K, Taylor RS, Jacques L, et al. Spinal cord stimulation versus conventional medical management for neuropathic pain: a multicentre randomised controlled trial in patients with failed back surgery syndrome. *Pain.* Nov 2007;132(1-2):179-188. PMID 17845835.
 17. Kapural L, Yu C, Doust MW, et al. Novel 10-kHz High-frequency Therapy (HF10 Therapy) is superior to traditional low-frequency spinal cord stimulation for the treatment of chronic back and leg pain: the SENZA-RCT randomized controlled trial. *Anesthesiology.* Oct 2015;123(4):851-860. PMID 26218762.
 18. Visnjevac O, Costandi S, Patel BA, et al. A comprehensive outcome-specific review of the use of spinal cord stimulation for complex regional pain syndrome. *Pain Pract.* Apr 2017;17(4):533-545. PMID 27739179.
 19. O'Connell NE, Wand BM, McAuley J, et al. Interventions for treating pain and disability in adults with complex regional pain syndrome. *Cochrane Database Syst Rev.* Apr 30 2013(4):Cd009416. PMID 23633371.
 20. Grider JS, Manchikanti L, Carayannopoulos A, et al. Effectiveness of spinal cord stimulation in chronic spinal pain: a systematic review. *Pain Physician.* Jan 2016;19(1):E33-54. PMID 26752493.
 21. Kapural L, Peterson E, Provenzano DA, et al. Clinical evidence for spinal cord stimulation for failed back surgery syndrome (FBSS): systematic review. *Spine (Phila Pa 1976).* Jul 15 2017;42 Suppl 14:S61-S66. PMID 28441313.
 22. Frey ME, Manchikanti L, Benyamin RM, et al. Spinal cord stimulation for patients with failed back surgery syndrome: a systematic review. *Pain Physician.* Mar-Apr 2009;12(2):379-397. PMID 19305486.
 23. Simpson EL, Duenas A, Holmes MW, et al. Spinal cord stimulation for chronic pain of neuropathic or ischaemic origin: systematic review and economic evaluation. *Health Technol Assess.* Mar 2009;13(17):iii, ix-x, 1-154. PMID 19331797.

24. National Institute for Health and Care Excellence (NICE). Spinal cord stimulation for chronic pain of neuropathic or ischaemic origin [TA159]. 2008; <https://www.nice.org.uk/guidance/ta159>. Accessed March 4, 2019.
25. Kemler MA, Barendse GA, van Kleef M, et al. Spinal cord stimulation in patients with chronic reflex sympathetic dystrophy. *N Engl J Med*. Aug 31 2000;343(9):618-624. PMID 10965008.
26. Kemler MA, De Vet HC, Barendse GA, et al. The effect of spinal cord stimulation in patients with chronic reflex sympathetic dystrophy: two years' follow-up of the randomized controlled trial. *Ann Neurol*. Jan 2004;55(1):13-18. PMID 14705107.
27. Slangen R, Schaper NC, Faber CG, et al. Spinal cord stimulation and pain relief in painful diabetic peripheral neuropathy: a prospective two-center randomized controlled trial. *Diabetes Care*. Nov 2014;37(11):3016-3024. PMID 25216508.
28. Bicket MC, Dunn RY, Ahmed SU. High-frequency spinal cord stimulation for chronic pain: pre-clinical overview and systematic review of controlled trials. *Pain Med*. Dec 2016;17(12):2326-2336. PMID 28025366.
29. Perruchoud C, Eldabe S, Batterham AM, et al. Analgesic efficacy of high-frequency spinal cord stimulation: a randomized double-blind placebo-controlled study. *Neuromodulation*. Jul/Aug 2013;16(4):363-369; discussion 369. PMID 23425338.
30. Kumar K, Taylor RS, Jacques L, et al. The effects of spinal cord stimulation in neuropathic pain are sustained: a 24-month follow-up of the prospective randomized controlled multicenter trial of the effectiveness of spinal cord stimulation. *Neurosurgery*. Oct 2008;63(4):762-770; discussion 770. PMID 18981888.
31. Kemler MA, de Vet HC, Barendse GA, et al. Effect of spinal cord stimulation for chronic complex regional pain syndrome Type I: five-year final follow-up of patients in a randomized controlled trial. *J Neurosurg*. Feb 2008;108(2):292-298. PMID 18240925.
32. de Vos CC, Meier K, Zaalberg PB, et al. Spinal cord stimulation in patients with painful diabetic neuropathy: a multicentre randomized clinical trial. *Pain*. Nov 2014;155(11):2426-2431. PMID 25180016.
33. Duarte RV, Andronis L, Lenders MW, et al. Quality of life increases in patients with painful diabetic neuropathy following treatment with spinal cord stimulation. *Qual Life Res*. Jul 2016;25(7):1771-1777. PMID 26694963.
34. Rigoard, PP, Basu, SS, Desai, MM, Taylor, RR, Annemans, LL, Tan, YY, Johnson, MM, Van den Abeele, CC, North, RR. Multicolumn Spinal Cord Stimulation for Predominant Back Pain in Failed Back Surgery Syndrome Patients: A Multicenter Randomized Controlled Trial. *Pain*, 2019 Feb 6. PMID 30720582.

35. Kapural L, Yu C, Doust MW, et al. Comparison of 10-kHz high-frequency and traditional low-frequency spinal cord stimulation for the treatment of chronic back and leg pain: 24-month results from a multicenter, randomized, controlled pivotal trial. *Neurosurgery*. Nov 2016;79(5):667-677. PMID 27584814.
36. De Andres J, Monsalve-Dolz V, Fabregat-Cid G, et al. Prospective, randomized blind effecton-outcome study of conventional vs high-frequency spinal cord stimulation in patients with pain and disability due to failed back surgery syndrome. *Pain Med*. Dec 1 2017;18(12):2401-2421. PMID 29126228.
37. Al-Kaisy A, Palmisani S, Smith TE, et al. Long-term improvements in chronic axial low back pain patients without previous spinal surgery: a cohort analysis of 10-kHz high-frequency spinal cord stimulation over 36 months. *Pain Med*. Oct 24 2017. PMID 29077889.
38. Hou S, Kemp K, Grabois M. A systematic evaluation of burst spinal cord stimulation for chronic back and limb pain. *Neuromodulation*. Jun 2016;19(4):398-405. PMID 27139915.
39. Deer T, Slavin KV, Amirdelfan K, et al. Success Using Neuromodulation With BURST (SUNBURST) Study: results from a prospective, randomized controlled trial using a novel burst waveform. *Neuromodulation*. Jan 2018;21(1):56-66. PMID 28961366.
40. Schu S, Slotty PJ, Bara G, et al. A prospective, randomised, double-blind, placebo-controlled study to examine the effectiveness of burst spinal cord stimulation patterns for the treatment of failed back surgery syndrome. *Neuromodulation*. Jul 2014;17(5):443-450. PMID 24945621.
41. De Ridder D, Plazier M, Kamerling N, et al. Burst spinal cord stimulation for limb and back pain. *World Neurosurg*. Nov 2013;80(5):642-649.e641. PMID 23321375.
42. De Ridder D, Vanneste S, Plazier M, et al. Burst spinal cord stimulation: toward paresthesiafree pain suppression. *Neurosurgery*. May 2010;66(5):986-990. PMID 20404705.
43. Kriek N, Groeneweg JG, Stronks DL, et al. Preferred frequencies and waveforms for spinal cord stimulation in patients with complex regional pain syndrome: A multicentre, double-blind, randomized and placebo-controlled crossover trial. *Eur J Pain*. Mar 2017;21(3):507-519. PMID 27714945.
44. Chang Chien GC, Mekhail N. Alternate intraspinal targets for spinal cord stimulation: a systematic review. *Neuromodulation*. Oct 2017;20(7):629-641. PMID 28160397.
45. Vuka, II, Marciuš, TT, DošenoviÄ‡, SS, FerhatoviÄ‡ HamziÄ‡, LL, VuÄ‡iÄ‡, KK, Sapunar, DD, Puljak, LL. Neuromodulation with electrical field stimulation of dorsal root ganglion in various pain syndromes: a systematic review with focus on participant selection. *J Pain Res*, 2019 Mar 19;12:803-830. PMID 30881093.

46. Deer TR, Levy RM, Kramer J, et al. Dorsal root ganglion stimulation yielded higher treatment success rate for complex regional pain syndrome and causalgia at 3 and 12 months: a randomized comparative trial. *Pain*. Apr 2017;158(4):669-681. PMID 28030470.
47. Food and Drug Administration. Summary of Safety and Effectiveness Data (SSED): Axium Neurostimulator System. 2016; https://www.accessdata.fda.gov/cdrh_docs/pdf15/P150004b.pdf. Accessed March 4, 2019.
48. Mekhail, NN, Deer, TT, Kramer, JJ, Poree, LL, Amirdelfan, KK, Grigsby, EE, Staats, PP, Burton, AA, Burgher, AA, Scowcroft, JJ, Golovac, SS, Kapural, LL, Paicius, RR, Pope, JJ, Samuel, SS, McRoberts, WW, Schaufele, MM, Kent, AA, Raza, AA, Levy, RR. Paresthesia-Free Dorsal Root Ganglion Stimulation: An ACCURATE Study Sub-Analysis. *Neuromodulation*, 2019 Mar 13. PMID 30861286.
49. Schu S, Gulve A, Eidabe S, et al. Spinal cord stimulation of the dorsal root ganglion for groin pain-a retrospective review. *Pain Pract*. Apr 2015;15(4):293-299. PMID 24690212.
50. Liem L, Russo M, Huygen FJ, et al. One-year outcomes of spinal cord stimulation of the dorsal root ganglion in the treatment of chronic neuropathic pain. *Neuromodulation*. Jan 2015;18(1):41-48; discussion 48-49. PMID 25145467.
51. Huygen, FF, Liem, LL, Nijhuis, HH, Cusack, WW, Kramer, JJ. Evaluating Dorsal Root Ganglion Stimulation in a Prospective Dutch Cohort. *Neuromodulation*, 2018 Aug 7;22(1). PMID 30079622.
52. Morgalla, MM, Fortunato, MM, Lepski, GG, Chander, BB. Dorsal Root Ganglion Stimulation (DRGS) for the Treatment of Chronic Neuropathic Pain: A Single-Center Study with Long-Term Prospective Results in 62 Cases. *Pain Physician*, 2018 Jul 27;21(4). PMID 30045604.
53. Eldabe, SS, Espinet, AA, Wahlstedt, AA, Kang, PP, Liem, LL, Patel, NN, Vesper, JJ, Kimber, AA, Cusack, WW, Kramer, JJ. Retrospective Case Series on the Treatment of Painful Diabetic Peripheral Neuropathy With Dorsal Root Ganglion Stimulation. *Neuromodulation*, 2018 Mar 27;21(8). PMID 29575331.
54. Kallewaard, JJ, Nijhuis, HH, Huygen, FF, Wille, FF, Zuidema, XX, van de Minkelis, JJ, Raza, AA. Prospective Cohort Analysis of DRG Stimulation for Failed Back Surgery Syndrome Pain Following Lumbar Discectomy. *Pain Pract*, 2018 Oct 1;19(2). PMID 30269439.
55. Piedade, GG, Vesper, JJ, Chatzikalfas, AA, Sloty, PP. Cervical and High-Thoracic Dorsal Root Ganglion Stimulation in Chronic Neuropathic Pain. *Neuromodulation*, 2019 Jan 9. PMID 30620789.

56. Kallewaard, JJ, Edelbroek, CC, Terheggen, MM, Raza, AA, Geurts, JJ. A Prospective Study of Dorsal Root Ganglion Stimulation for Non-Operated Discogenic Low Back Pain. *Neuromodulation*, 2019 Mar 2. PMID 30821901.
57. Deer, TT, Pope, JJ, Hunter, CC, Falowski, SS, Kapural, LL, Kramer, JJ, Levy, RR. Safety Analysis of Dorsal Root Ganglion Stimulation in the Treatment of Chronic Pain. *Neuromodulation*, 2019 Mar 13. PMID 30861617.
58. Weiner RL, Yeung A, Montes Garcia C, et al. Treatment of FBSS low back pain with a novel percutaneous DRG wireless stimulator: pilot and feasibility study. *Pain Med*. Oct 2016;17(10):1911-1916. PMID 27125284.
59. Ubbink DT, Vermeulen H. Spinal cord stimulation for non-reconstructable chronic critical leg ischaemia. *Cochrane Database Syst Rev*. Feb 28 2013;2(2):CD004001. PMID 23450547.
60. Klomp HM, Steyerberg EW, Habbema JD, et al. What is the evidence on efficacy of spinal cord stimulation in (subgroups of) patients with critical limb ischemia? *Ann Vasc Surg*. May-Jun 2009;23(3):355-363. PMID 19128928.
61. Klomp HM, Spincemaille GH, Steyerberg EW, et al. Spinal-cord stimulation in critical limb ischaemia: a randomised trial. ESES Study Group. *Lancet*. Mar 27 1999;353(9158):1040-1044. PMID 10199350.
62. Abu Dabrh AM, Steffen MW, Asi N, et al. Nonrevascularization-based treatments in patients with severe or critical limb ischemia. *J Vasc Surg*. Nov 2015;62(5):1330-1339 e1313. PMID 26409842.
63. Pan X, Bao H, Si Y, et al. Spinal cord stimulation for refractory angina pectoris: a systematic review and meta-analysis. *Clin J Pain*. Jun 2017;33(6):543-551. PMID 27875377.
64. Tsigaridas N, Naka K, Tsapogas P, et al. Spinal cord stimulation in refractory angina. A systematic review of randomized controlled trials. *Acta Cardiol*. Apr 2015;70(2):233-243. PMID 26148385.
65. Zipes DP, Svorkdal N, Berman D, et al. Spinal cord stimulation therapy for patients with refractory angina who are not candidates for revascularization. *Neuromodulation*. Nov-Dec 2012;15(6):550-558; discussion 558-559. PMID 22494013.
66. Lanza GA, Grimaldi R, Greco S, et al. Spinal cord stimulation for the treatment of refractory angina pectoris: a multicenter randomized single-blind study (the SCS-ITA trial). *Pain*. Jan 2011;152(1):45-52. PMID 21084162.
67. Torre-Amione G, Alo K, Estep JD, et al. Spinal cord stimulation is safe and feasible in patients with advanced heart failure: early clinical experience. *Eur J Heart Fail*. Jul 2014;16(7):788-795. PMID 24961194.
68. Zipes DP, Neuzil P, Theres H, et al. Determining the feasibility of spinal cord neuromodulation for the treatment of chronic systolic heart failure: The

- DEFEAT-HF Study. *JACC Heart Fail.* Feb 2016;4(2):129-136. PMID 26682789.
69. Lihua P, Su M, Zejun Z, et al. Spinal cord stimulation for cancer-related pain in adults. *Cochrane Database Syst Rev.* Feb 28 2013;2(2):CD009389. PMID 23450600.
70. Peng L, Min S, Zejun Z, et al. Spinal cord stimulation for cancer-related pain in adults. *Cochrane Database Syst Rev.* Jun 29 2015;6(6):CD009389. PMID 26121600.
71. Mekhail NA, Mathews M, Nageeb F, et al. Retrospective review of 707 cases of spinal cord stimulation: indications and complications. *Pain Pract.* Mar-Apr 2011;11(2):148-153. PMID 21371254.
72. Lanza GA, Barone L, Di Monaco A. Effect of spinal cord stimulation in patients with refractory angina: evidence from observational studies. *Neuromodulation.* Nov-Dec 2012;15(6):542-549; discussion 549. PMID 22364309.
73. Dworkin RH, O'Connor AB, Kent J, et al. Interventional management of neuropathic pain: NeuPSIG recommendations. *Pain.* Nov 2013;154(11):2249-2261. PMID 23748119.
74. Manchikanti L, Abdi S, Atluri S, et al. An update of comprehensive evidence-based guidelines for interventional techniques in chronic spinal pain. Part II: guidance and recommendations. *Pain Physician.* Apr 2013;16(2 Suppl):S49-283. PMID 23615883.
75. Boswell MV, Trescot AM, Datta S, et al. Interventional techniques: evidence-based practice guidelines in the management of chronic spinal pain. *Pain Physician.* Jan 2007;10(1):7-111. PMID 17256025.
76. Benzon, HH, Connis, RR, De Leon-Casasola, OO, Glass, DD, Korevaar, WW, Cynwyd, BB, Mekhail, NN, Merrill, DD, Nickinovich, DD, Rathmell, JJ, Sang, CC, Simon, DD. Practice guidelines for chronic pain management: an updated report by the American Society of Anesthesiologists Task Force on Chronic Pain Management and the American Society of Regional Anesthesia and Pain Medicine. *Anesthesiology.* 2010 Feb 4;112(4). PMID 20124882.
77. Deer, TT, Pope, JJ, Lamer, TT, Grider, JJ, Provenzano, DD, Lubenow, TT, FitzGerald, JJ, Hunter, CC, Falowski, SS, Sayed, DD, Baranidharan, GG, Patel, NN, Davis, TT, Green, AA, Pajuelo, AA, Epstein, LL, Harned, MM, Liem, LL, Christo, PP, Chakravarthy, KK, Gilmore, CC, Huygen, FF, Lee, EE, Metha, PP, Nijhuis, HH, Patterson, DD, Petersen, EE, Pilitsis, JJ, Rowe, JJ, Rupert, MM, Skaribas, II, Sweet, JJ, Verrills, PP, Wilson, DD, Levy, RR, Mekhail, NN. The Neuromodulation Appropriateness Consensus Committee on Best Practices for Dorsal Root Ganglion Stimulation. *Neuromodulation.* 2018 Sep 25;22(1). PMID 30246899.

78. Centers for Medicare % Medicaid Services. National Coverage Determination (NCD) for Electrical Nerve Stimulators (160.7). 1995; <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=240&ncdver=1&bc=AAAAgAAAAAAA&>. Accessed March 4, 2019.