

References

S-194

1. Yasui Y, Tonogai I, Kennedy J, et al. Use of the arthroereisis screw with tendoscopic delivered platelet rich plasma for early-stage adult acquired flatfoot deformity. *Int Orthop.* 2017;41(2):315-321.
2. Hayes Inc. Health Technology Assessment. Subtalar *Arthroereisis for the Treatment of Adult-Acquired Flatfoot Deformity*. Lansdale, PA: Hayes, Inc.; 03/12/2020.
3. Hayes Inc. Health Technology Assessment. *Subtalar Arthroereisis for the Treatment of Pediatric Flatfoot*. Lansdale, PA: Hayes, Inc.; 01/30/2020.
4. Kholeif AM, Mansour AM, Gomaa M, et al. Subtalar arthroereisis in treatment of pediatric flexible flat foot using subtalar sinus tarsi implants. *Indian J Public Health Res Dev.* 2019;10(11).
5. Bernasconi A, Lintz F, Sadile F. The role of arthroereisis of the subtalar joint for flatfoot in children and adults. *EFORT Open Rev.* 2017;2(11):438-46.
6. Braito M, Radlwimmer M, Dammerer D, et al. Tarsometatarsal bone remodelling after subtalar arthroereisis. *J Child Orthop.* 2020;14(0):1-9.
7. Faldini C, Mazzotti A, Panciera A, et al. Patient-perceived outcomes after subtalar arthroereisis with bioabsorbable implants for flexible flatfoot in growing age: A 4-year follow-up study. *Eur J Orthop Surg Traumatol.* 2018;28(4):707-12.
8. Wong DW, Wang Y, Chen TL, Leung AK, et al. Biomechanical consequences of subtalar joint arthroereisis in treating posterior tibial tendon dysfunction: A theoretical analysis using finite element analysis. *Comput Methods Biomed Engin.* 2017;20(14):1525-1532.
9. Di Gennaro GL, Stallone S, Olivotto E, Zarantonello P, et al. Operative versus nonoperative treatment in children with painful rigid flatfoot and talocalcaneal coalition. *BMC Musculoskelet Disord.* 2020;21(1):185.

10. Bernasconi A, Lintz F, Sadile F. The role of arthroereisis of the subtalar joint for flatfoot in children and adults. *EFORT Open Rev.* 2017;2(11):438-446.