

References

Z-24

1. National Comprehensive Cancer Network (NCCN) Clinical Practice Guidelines in Oncology. Breast Cancer. Version 2. 2022.
2. Hayes, Inc. Hayes Health Technology Assessment. *Bioelectrical Impedance (Bioimpedance) Analysis for Assessment of Lymphedema*. Lansdale, PA: Hayes, Inc.; 08/06/2020.
3. Katz SA. On the use of hair analysis for assessing arsenic intoxication. *Int J Environ Res Public Health*. 2019;16(6).
4. Da Dalt L, Parri N, Amigoni A, et al. Italian guidelines on the assessment and management of pediatric head injury in the emergency department. *Ital J Pediatr*. 2018;44(71);1-41.
5. Chen C, Ma YH, Zhang YT, et al. Effect of dendritic cell-based immunotherapy on hepatocellular carcinoma: A systematic review and meta-analysis. *Cytotherapy*. 2018;20(8):975-989.
6. Dafni U, Michielin O, Lluesma SM, et al. Efficacy of adoptive therapy with tumor-infiltrating lymphocytes and recombinant interleukin-2 in advanced cutaneous melanoma: A systematic review and meta-analysis. *Ann Oncol*. 2019;30(12):1902-1913.
7. Khammari A, Nguyen JM, Leccia MT, et al. Tumor infiltrating lymphocytes as adjuvant treatment in stage III melanoma patients with only one invaded lymph node after complete resection: Results from a multicentre, randomized clinical phase III trial. *Cancer Immunol Immunother*. 2020;69(8):1663-1672.
8. Cheung XC, Fahey T, Rogers AC, Pemberton JH, Kavanagh DO. Surgical management of idiopathic perianal fistulas: A systematic review and meta-analysis. *Dig Surg*. 2021;38(2):104-119.
9. Jayne DG, Scholefield J, Tolan D, et al.; FIAT Trial Collaborative Group. A multicenter randomized controlled trial comparing safety, efficacy, and cost-effectiveness of the surgisis anal fistula plug versus surgeon's preference for transsphincteric fistula-in-ano: The FIAT Trial. *Ann Surg*. 2021;273(3):433-441.

10. Ridner SH, Dietrich MS, Cowher MS, et al. A randomized trial evaluating bioimpedance spectroscopy versus tape measurement for the prevention of lymphedema following treatment for breast cancer: Interim analysis. *Ann Surg Oncol*. 2019;26(10):3250-3259.
11. American Diabetes Association. 9. Pharmacologic approaches to glycemic treatment: Standards of medical care in diabetes-2021. *Diabetes Care*. 2021;44(Suppl 1):S111-S124.
12. American Diabetes Association Professional Practice Committee; American Diabetes Association Professional Practice Committee; Draznin B, Aroda VR, Bakris G, Benson G, Brown FM, Freeman R, et al. 9. Pharmacologic approaches to glycemic treatment: Standards of medical care in diabetes-2022. *Diabetes Care*. 2022;45(Suppl 1):S125-S143.
13. Hamlin K, Munro C, Barker SL, McKenna S, Kumar K. Open release versus radiofrequency microtenotomy in the treatment of lateral epicondylitis: A prospective randomized controlled trial. *Shoulder Elbow*. 2018;10(1):45-51.
14. Wang W, Rikhranj IS, Chou ACC, Chong HC, Koo KOT. Endoscopic plantar fasciotomy vs open radiofrequency microtenotomy for recalcitrant plantar fasciitis. *Foot Ankle Int*. 2018;39(1):11-17.
15. Forstenpointner J, Ruscheweyh R, Attal N, et al. No pain, still gain (of function): The relation between sensory profiles and the presence or absence of self-reported pain in a large multicenter cohort of patients with neuropathy. 2021;162(3):718-727.
16. Azzopardi K, Gatt A, Chockalingam N, Formosa C. Hidden dangers revealed by misdiagnosed diabetic neuropathy: A comparison of simple clinical tests for the screening of vibration perception threshold at primary care level. *Prim Care Diabetes*. 2018;12(2):111-115.
17. Olson DJ, Odunsi K. Adoptive cell therapy for nonhematologic solid tumors. *J Clin Oncol*. 2023;41(18):3397-3407.
18. Hayes, Inc. Hayes Evolving Evidence Review. *Computerized Dynamic Posturography for Diagnosis of Vestibular Disorders*. Lansdale, PA: Hayes, Inc.; 12/07/2022.
19. Centers for Medicaid & Medicare Services. National Coverage Determination (NCD) for Outpatient Intravenous Insulin Treatment (40.7). 2009;

<https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=334>.

20. Ridner SH, Dietrich MS, Cowher MS, et al. A randomized trial evaluating bioimpedance spectroscopy versus tape measurement for the prevention of lymphedema following treatment for breast cancer: Interim analysis. *Ann Surg Oncol*. 2019;26(10):3250-3259.